

SECOND EDITION | 2026



Guide to Pavement Design, Construction, and Management

AASHTO

American Association of State Highway and Transportation Officials

Preface

This Guide provides guidance for all aspects of pavement design to the engineering practitioner. The Pavement Guide is meant to be a “one-stop shop” for pavement engineering.

Chapter 1 provides a general overview of the Handbook. The fundamentals of pavement design are discussed in Chapters 2 through 5. The reader is informed about various pavement types and their corresponding material components in Chapters 2 and 3, respectively. Chapter 4 is an in-depth discourse on the structural pavement design analysis for each pavement type, with particular attention paid to mechanistic-empirical (M-E) techniques. The impact of surface properties on friction, ride, and safety are thoroughly explained in Chapter 5.

Chapter 6 discusses pavement-type selection strategies, whether the pavement is being newly constructed from the ground up or undergoing some type of restoration. Life-cycle costs are considered for selection optimization.

Methods of construction for various pavement types are covered in the Chapter 7, including detailed guidance for both materials and construction specifications. Special emphasis is placed on quality management and its essential role for successful project completion.

The testing and evaluation of existing pavements are the subjects of Chapters 8 and 9. Visual distress surveys, nondestructive testing, and sampling and testing comprise the data acquisition techniques outlined for making educated assessments of pavement condition.

Chapters 10 and 11 detail treatments for existing pavements ranging from non-structural pavement preservation to structural rehabilitation. Performance expectations for each treatment are summarized.

Managing pavements at all hierarchical levels is the focus of Chapter 12. Transitioning from distress data types and their collection protocol to database analysis methods, the outline is given for design life optimization.

Chapter 13 ends the Handbook with thoughtful discussion of the pavement caretaker’s role in selecting and reusing materials for environmentally sustainable design.

Table of Contents

Executive Committee	iii
Committee on Materials and Pavements.....	v
Technical Subcommittee 5d,Pavement Design	ix
Preface	xi
Table of Contents	xiii
List of Figures.....	xxxii
List of Tables.....	xl
Chapter 1. INTRODUCTION.....	1-1
1.1. General	1-1
1.2. References.....	1-2
Chapter 2. PAVEMENT TYPES	2-1
2.1. INTRODUCTION	2-1
2.2. Pavement Types.....	2-3
2.2.1. Asphalt Pavement	2-5
2.2.1.1. Conventional Asphalt Pavement	2-7
2.2.1.2. Deep-Strength Asphalt Pavements.....	2-7
2.2.1.3. Semi-Rigid Flexible Pavements.....	2-7
2.2.1.4. Full-Depth Asphalt Pavements	2-8
2.2.1.5. Composite Pavements	2-8
2.2.1.6. Surface-Treated Pavements	2-9
2.2.1.7. Porous Asphalt Pavements	2-9
2.2.2. Concrete Pavement.....	2-10
2.2.2.1. Jointed Plain Concrete Pavements.....	2-13
2.2.2.2. Jointed Reinforced Concrete Pavements	2-13
2.2.2.3. Continuously Reinforced Concrete Pavements	2-14
2.2.2.4. Roller Compacted Concrete Pavements (RCC)	2-14
2.2.2.5. Concrete Overlays	2-15
2.2.2.6. Precast Concrete Pavements.....	2-15
2.2.2.7. Two-Lift Concrete	2-16
2.2.2.8. Pervious Concrete Pavements	2-16

2.2.3. Aggregate-Surfaced Roads	2-17
2.3. Long-Life Pavement Concepts	2-17
2.3.1. Long-Life Asphalt Pavement	2-18
2.3.2. Long-Life Concrete Pavements	2-19
2.4. References.	2-20
Chapter 3. PAVEMENT MATERIALS	3-1
3.1. Soil and Aggregate	3-1
3.1.1. Important Physical and Engineering Properties	3-1
3.1.1.1. Gradation	3-1
3.1.1.2. Atterberg Limits.	3-4
3.1.1.3. Poisson's Ratio	3-4
3.1.1.4. Resilient Modulus.	3-5
3.1.1.5. <i>k</i> -Value	3-7
3.1.1.6. California Bearing Ratio	3-8
3.1.1.7. Triaxial Shear Strength	3-10
3.1.1.8. Moisture Content	3-10
3.1.1.9. Density	3-12
3.1.1.10. Permeability	3-13
3.1.1.11. Specific Gravity	3-13
3.1.1.12. Particle Shape and Texture	3-14
3.1.1.13. Durability	3-16
3.1.1.14. Soil Classification	3-16
3.1.1.15. AASHTO Aggregate Gradations	3-19
3.1.1.16. Other Aggregate	3-19
3.2. Asphalt Pavement.	3-19
3.2.1. Asphalt Binder Types	3-20
3.2.1.1. Asphalt Cement Binders	3-20
3.2.1.2. Emulsified Asphalt	3-24
3.2.1.3. Cutback Asphalt	3-24
3.2.2. Asphalt Additives and Modifiers	3-25
3.2.2.1. Polymers	3-25
3.2.2.2. Fibers	3-25
3.2.2.3. Warm-Mix Asphalt Additives	3-26
3.2.2.4. Reclaimed Additives	3-26
3.2.3. Asphalt Mixture Types	3-26
3.2.3.1. Dense-Graded Asphalt Mixtures	3-26
3.2.3.2. Warm Mix Asphalt (WMA)	3-27
3.2.3.3. Open-Graded Friction Courses, Asphalt-Treated Permeable Bases, and Porous Asphalt Surfaces	3-27
3.2.3.4. Stone Matrix Asphalt Mixtures	3-27
3.2.3.5. Reclaimed Asphalt Pavement (RAP) and Reclaimed Asphalt Shingles (RAS)	3-27

3.2.3.6. Recycling and Full-Depth Reclamation	3-28
3.2.4. Asphalt Mixture Test Methods	3-28
3.2.4.1. Short- and Long-Term Oven Conditioning	3-28
3.2.4.2. Moisture Sensitivity Testing	3-29
3.2.4.3. Low-Temperature Indirect Tensile Strength Test	3-29
3.2.4.4. High-Temperature Indirect Tensile Strength Test	3-29
3.2.4.5. Flexural Fatigue Test	3-29
3.2.4.6. Asphalt Mixture Performance Test (AMPT)	3-29
3.2.4.7. Superpave Shear Tester	3-30
3.2.4.8. Laboratory Wheel Tracking Devices.	3-30
3.2.5. Asphalt Mixture Design.	3-30
3.2.5.1. Volumetrics	3-30
3.2.5.2. Superpave Mixture Design	3-32
3.2.5.2.1. Aggregate Selection	3-32
3.2.5.2.2. Binder Selection	3-34
3.2.5.2.3. Determine Design Aggregate Structure.	3-34
3.2.5.2.4. Determine Design Binder Content.	3-36
3.2.5.2.5. Evaluate Moisture Susceptibility.	3-36
3.2.5.3. Balanced Mix Design.	3-36
3.3. Concrete Pavement	3-36
3.3.1. Concrete Binder Types.	3-37
3.3.1.1. Portland Cement	3-37
3.3.1.2. Blended Portland Cement	3-40
3.3.1.3. Performance Cement	3-41
3.3.1.3.1. Portland–Limestone Cement (M 240M/M 240 Type IL) History.	3-41
3.3.1.3.2. Activated Fly Ash.	3-41
3.3.1.3.3. Emerging Technologies in Hydraulic Cements	3-42
3.3.2. Supplementary Cementitious Materials (SCMs)	3-42
3.3.2.1. Fly Ash	3-42
3.3.2.2. Slag Cement	3-43
3.3.2.3. Silica Fume	3-44
3.3.2.4. Natural Pozzolans and Alternative SCMs	3-44
3.3.2.5. Summary.	3-45
3.3.3. Concrete Additives and Modifiers	3-48
3.3.3.1. Chemical Admixtures	3-48
3.3.3.2. Air-Entraining Admixtures (AEAs)	3-52
3.3.3.3. Water-Reducing Admixtures (WRAs)	3-53
3.3.3.4. Accelerating Admixtures	3-54
3.3.3.5. Retarding Admixtures	3-54
3.3.3.6. Other Chemical Admixtures	3-55

3.3.3.7. Coloring Admixtures (Pigments)	3-55
3.3.3.8. Fibers	3-55
3.3.4. Types of Concrete Mixtures	3-56
3.3.4.1. Conventional Concrete	3-56
3.3.4.2. High-Strength Concrete	3-56
3.3.4.3. High-Early-Strength Concrete	3-56
3.3.4.4. Pervious Concrete	3-57
3.3.4.5. Roller-Compacted Concrete	3-57
3.3.4.6. Self-Consolidating Concrete (SCC).	3-57
3.3.5. Key Properties and Test Methods for Fresh Concrete	3-57
3.3.5.1. Workability	3-58
3.3.5.2. Air Content	3-58
3.3.5.3. Setting	3-58
3.3.5.4. Maturity Testing and Temperature Monitoring.	3-59
3.3.5.4.1. Maturity Testing	3-59
3.3.5.4.2. Calorimetry	3-59
3.3.6. Key Properties and Test Methods for Hardened Concrete	3-59
3.3.6.1. Strength	3-60
3.3.6.2. Compressive Strength	3-60
3.3.6.2.1. Flexural Strength	3-62
3.3.6.2.2. Splitting Tensile Strength	3-63
3.3.6.3. Modulus of Elasticity and Poisson’s Ratio	3-64
3.3.6.4. Coefficient of Thermal Expansion	3-65
3.3.6.5. Shrinkage and Cracking Tendency	3-65
3.3.6.6. Permeability	3-65
3.3.6.7. Durability	3-67
3.3.6.7.1. Freeze–Thaw Susceptibility	3-67
3.3.6.7.2. Alkali–Aggregate Reactivity	3-69
3.3.6.7.3. Sulfate Attack	3-70
3.3.7. Mixture Design and Proportioning	3-70
3.3.7.1. Selection of Concrete Mixture Characteristics	3-71
3.3.7.1.1. Water–Cementitious Materials Ratio (<i>w-cm</i>) and Strength Relationship	3-71
3.3.7.1.2. Water-to-Cementitious Materials Ratio Considerations	3-72
3.3.7.1.3. Aggregate Characteristics	3-74
3.3.7.1.4. Air Content	3-78
3.3.7.1.5. Slump	3-79
3.3.7.1.6. Water Content	3-79
3.3.7.1.7. Cementitious Materials Type and Content	3-79
3.3.7.1.8. Admixtures	3-80
3.3.7.1.9. Summary	3-80

3.3.7.2. Approach to Proportioning	3-80
3.3.7.3. Performance Engineered Mixture Design—Concrete	3-83
3.4. References.	3-83
Chapter 4. STRUCTURAL DESIGN	4-1
4.1. AASHTO Pavement Design Procedures.	4-1
4.1.1. AASHTO Road Test (1958–1960)	4-1
4.1.2. <i>AASHTO Interim Guide for the Design of Flexible Pavement Structures</i> (1961)	4-4
4.1.3. <i>AASHTO Interim Guide for the Design of Rigid Pavement Structures</i> (1962)	4-4
4.1.4. <i>AASHTO Interim Guide for the Design of Pavements</i> (1972)	4-5
4.1.5. <i>AASHTO 1981 Interim Revisions to the Guide for the Design of Pavement Structures</i> (1972)	4-5
4.1.6. <i>AASHTO Guide for the Design of Pavements</i> (1986)	4-5
4.1.7. <i>AASHTO Guide for Design of Pavement Structures</i> (1993)	4-6
4.1.8. <i>AASHTO Guide for Design of Pavement Structures, Supplement</i> (1998)	4-7
4.1.9. NCHRP 1-37A, <i>Development of the 2002 Guide for the Design of New and Rehabilitated Pavement Structures</i> (1998–2004)	4-8
4.1.10. <i>AASHTO Mechanistic-Empirical Pavement Design Guide—A Manual of Practice</i>	4-8
4.1.11. AASHTOWare® Pavement ME Design™ Software	4-8
4.2. Mechanistic-Empirical Pavement Design	4-9
4.2.1. Advantages of Mechanistic-Empirical Pavement Design	4-9
4.2.2. Mechanistic-Empirical Pavement Design Process.	4-10
4.2.2.1. Estimation of Traffic Loads	4-10
4.2.2.2. Characterization of Materials	4-10
4.2.2.3. Climate	4-10
4.2.2.4. Performance Prediction	4-11
4.2.2.5. Characterization of the Existing Pavement Structure	4-11
4.3. AASHTOWare Pavement ME Design™	4-11
4.4. AASHTOWare Pavement ME Design™ Analysis/Design Approach	4-12
4.4.1. Hierarchical Levels	4-12
4.4.1.1. Selection of Hierarchical Level	4-13
4.4.1.2. Impact of Hierarchical Level on Performance Prediction	4-13
4.4.2. Characterization of Traffic Loading	4-13
4.4.2.1. Weigh-in-Motion (WIM)	4-14
4.4.2.2. Automated Vehicle Classification (AVC)	4-14
4.4.2.3. Vehicle Count	4-14
4.4.2.4. Truck Traffic Characterization Parameters	4-14
4.4.2.5. Axle Configuration	4-16
4.4.2.6. Axle Load Distribution Factors	4-16
4.4.2.7. Design Lane Width	4-16
4.4.2.8. Initial Two-Way AADTT	4-16
4.4.2.9. Lateral Traffic Wander	4-16

4.4.2.10. Mean Wheel Location	4-17
4.4.2.11. Number of Axles per Truck	4-17
4.4.2.12. Number of Lanes in the Design Direction	4-17
4.4.2.13. Vehicle Operational Speed	4-18
4.4.2.14. Percentage of Trucks in Design Lane	4-18
4.4.2.15. Traffic Volume Adjustment Factors	4-18
4.4.2.16. Truck Traffic volume	4-18
4.4.2.17. Wheelbase	4-18
4.4.3. Materials Characterization	4-19
4.4.3.1. Asphalt Mixtures	4-19
4.4.3.1.1. <i>Dynamic Modulus of Existing Asphalt Layer</i>	4-20
4.4.3.2. Concrete Mixtures	4-20
4.4.3.2.1. <i>Elastic Modulus of Existing Concrete Layer</i>	4-22
4.4.3.3. Stabilized Mixtures	4-22
4.4.3.4. Unbound Materials	4-23
4.4.4. Environmental Effects	4-25
4.4.4.1. Enhanced Integrated Climatic Model	4-26
4.4.4.2. EICM Inputs	4-26
4.4.4.3. EICM Outputs	4-26
4.4.5. Design Methodology	4-27
4.4.6. Incremental-Damage Approach	4-28
4.4.7. Design Reliability	4-28
4.4.8. Local Calibration	4-30
4.5. Design of New and Reconstructed Asphalt Pavements	4-32
4.5.1. Asphalt Pavement Design Methodology	4-33
4.5.2. Asphalt Pavement Performance Models	4-34
4.5.3. Factors Affecting Distress Prediction in Asphalt Pavements	4-34
4.5.3.1. Fatigue Cracking in Asphalt Layers	4-34
4.5.3.2. Fatigue Cracking in Chemically Stabilized Layers	4-35
4.5.3.3. Thermal Cracking	4-35
4.5.3.4. Rutting	4-35
4.6. Design of New and Reconstructed Concrete Pavements	4-36
4.6.1. Concrete Pavement Design Methodology	4-36
4.6.2. JPCP Performance Models	4-37
4.6.3. CRCP Performance Models	4-37
4.6.4. SJPCP Performance Model	4-38
4.6.5. Factors Affecting Distress Prediction in Concrete Pavements	4-38
4.6.5.1. JPCP Transverse Cracking	4-38
4.6.5.2. JPCP Faulting	4-38
4.6.5.3. CRCP Punchouts	4-38

4.7. Design of Rehabilitated Pavements	4-39
4.7.1. Pavement Rehabilitation Design Methodology	4-39
4.7.1.1. Evaluation of Existing Pavement Structure	4-39
4.7.1.2. Material Characterization of Existing Pavement Structure	4-40
4.8. Surface and Subsurface Drainage Design	4-41
4.8.1. Methods for Reducing Surface Moisture Infiltration.	4-41
4.8.2. Use of Moisture-Insensitive Materials	4-41
4.8.3. Subsurface Drainage Systems	4-42
4.8.3.1. Permeable Bases	4-42
4.8.3.2. Subsurface Drainage Options	4-43
4.8.3.2.1. Permeable Base with Edgedrains	4-43
4.8.3.2.2. Nonerodible Base with Edgedrains	4-44
4.8.3.2.3. Nonerodible Base with Porous Concrete Edgedrains.	4-45
4.8.3.2.4. Daylighted Permeable Base	4-46
4.8.3.2.5. Daylighted Pavement Section	4-46
4.8.4. Pavement Design Features to Minimize Moisture Damage	4-47
4.8.5. Freeze–Thaw Considerations	4-47
4.9. References.	4-49
Chapter 5. PAVEMENT SURFACE CHARACTERISTICS	5-1
5.1. Pavement Smoothness or Roughness.	5-3
5.1.1. Smoothness Definitions	5-3
5.1.1.1. Pavement Profile	5-3
5.1.1.1.1. Transverse Profile.	5-3
5.1.1.1.2. Longitudinal Profile.	5-4
5.1.2. Roughness Measurement Equipment.	5-4
5.1.2.1. Straightedge and Rolling Straightedge	5-4
5.1.2.2. Reference Devices	5-5
5.1.2.3. Walking Profilers	5-5
5.1.2.4. Profilographs	5-5
5.1.2.5. Inertial Profilers.	5-6
5.1.2.6. Non-Contact Lightweight Profilers	5-8
5.1.2.7. Portable Laser Profiler Systems	5-8
5.1.2.8. Roughness Equipment Summary.	5-8
5.1.2.9. Calibration Practices and Procedures for Pavement Roughness	5-9
5.1.2.10. AASHTO Specifications and Test Methods for Pavement Profile and Roughness.	5-9
5.1.2.11. Profile Viewer and Analyzer (ProVAL) Software	5-10
5.1.3. Smoothness Indices.	5-10
5.1.3.1. Profile Index	5-10
5.1.3.2. Ride Number.	5-11
5.1.3.3. Ride Quality Index	5-11

5.1.3.4. International Roughness Index	5-12
5.1.3.5. Half-Car Roughness Index	5-13
5.1.4. Pavement Profiles	5-13
5.1.4.1. Longitudinal Profile	5-13
5.1.4.2. Transverse Profile	5-13
5.2. Surface Texture	5-13
5.2.1. Surface Texture Measurement Equipment	5-15
5.2.2. Surface Texture Parameters	5-22
5.2.3. AASHTO and ASTM Specifications and Test Methods for Surface Texture	5-24
5.2.4. Key Factors and Considerations for Surface Texture	5-24
5.2.5. Managing and Maintaining Surface Texture	5-26
5.3. Porosity	5-26
5.3.1. Porosity Parameters	5-27
5.3.2. Porosity Measurement Equipment	5-27
5.3.3. AASHTO and ASTM Specifications and Test Methods for Porosity and Permeability	5-28
5.3.3.1. Porosity Tests	5-28
5.3.3.2. Permeability Tests	5-28
5.4. Friction	5-28
5.4.1. Longitudinal Friction	5-28
5.4.2. Side-Force Friction	5-29
5.4.3. Friction Mechanisms	5-30
5.4.4. Friction Parameters	5-31
5.4.5. Friction Measurement Equipment	5-33
5.4.6. Specifications and Test Methods for Friction	5-33
5.4.7. Managing and Maintaining Friction	5-34
5.5. Hydroplaning Potential	5-34
5.5.1. Hydroplaning Parameters	5-35
5.5.2. Hydroplaning Potential Measurement Equipment	5-36
5.5.3. AASHTO and ASTM Specifications and Test Methods for Hydroplaning Potential	5-37
5.5.4. Key Factors/Considerations for Minimizing Hydroplaning Potential	5-37
5.5.5. Managing and Maintaining Hydroplaning Potential	5-37
5.6. Splash/Spray	5-38
5.6.1. Splash/Spray Parameters	5-38
5.6.2. Splash/Spray Measurement Equipment	5-39
5.6.3. AASHTO and ASTM Specifications and Test Methods for Splash/Spray	5-39
5.6.4. Key Factors/Considerations for Minimizing Splash/Spray	5-39
5.6.5. Managing and Maintaining Splash/Spray	5-39
5.7. Noise	5-39
5.7.1. Noise Definitions	5-40
5.7.1.1. Sources of Roadside Noise	5-40

5.7.1.2. Noise Levels	5-40
5.7.2. Traffic Noise	5-42
5.7.2.1. Propulsion Noise	5-42
5.7.2.2. Aerodynamic Noise.	5-42
5.7.2.3. Tire–Pavement Noise	5-42
5.7.3. Measuring Tire–Pavement Noise	5-42
5.7.3.1. Statistical Pass-By Method	5-43
5.7.3.2. Controlled Pass-By Method	5-43
5.7.3.3. Close-Proximity Method	5-43
5.7.3.4. On-Board Sound Intensity	5-44
5.7.3.5. AASHTO and ASTM Specifications and Test Methods for Pavement Noise Testing	5-45
5.7.3.6. FHWA Pavement Noise Information	5-45
5.7.3.7. NCHRP Research Reports.	5-45
5.7.4. Pavement Type Noise Characteristics	5-45
5.7.4.1. Open-Graded or Porous Asphalt	5-48
5.7.4.2. Gap-Graded or Stone Matrix Asphalt (SMA)	5-49
5.7.4.3. European Two-Layer Asphalt Design	5-49
5.7.4.4. Concrete Texture	5-50
5.7.4.5. Next Generation Concrete Surface	5-50
5.7.4.6. European Two-Lift Concrete System	5-52
5.8. Other Dynamic Attributes	5-52
5.8.1. Rolling Resistance	5-52
5.8.2. Tire Wear	5-53
5.8.3. Light Reflectance/Luminance	5-53
5.9. Surface Characteristics and User Costs	5-53
5.10. References	5-54
Chapter 6. PAVEMENT TYPE SELECTION	6-1
6.1. Federal Policy Regarding Pavement Type Selection and LCCA	6-1
6.1.1. Pavement Type Selection	6-1
6.1.2. LCCA	6-2
6.2. Guidance for Pavement Type Selection	6-2
6.3. Guidance for Life-Cycle Cost Analysis.	6-5
6.3.1. Development of Components and Inputs	6-5
6.3.1.1. Analysis Period.	6-5
6.3.1.2. Economic Formulas	6-6
6.3.1.3. Discount Rate	6-7
6.3.1.4. Agency Costs	6-8
6.3.1.5. Salvage Value	6-8
6.3.1.6. Supplemental Costs	6-8
6.3.1.7. User Costs.	6-9

6.3.1.7.1. Normal Operations	6-9
6.3.1.7.2. Work Zone Operations	6-10
6.3.1.8. Computational Approach	6-11
6.3.1.8.1. Deterministic Approach	6-11
6.3.1.8.2. Probabilistic Approach	6-11
6.3.1.9. Pavement Performance Period	6-12
6.3.1.10. Identification of Economically Feasible Alternatives	6-13
6.3.1.11. Life-Cycle Expenditure Models	6-13
6.3.2. Evaluation of LCCA Results	6-14
6.3.3. Analyzing Deterministic Results	6-15
6.3.4. Analyzing Probabilistic Results	6-15
6.3.5. LCCA Software	6-16
6.4. References.	6-16
Chapter 7. PAVEMENT CONSTRUCTION	7-1
7.1. Quality Assurance	7-1
7.1.1. Quality Control	7-2
7.1.2. Acceptance	7-2
7.1.3. Independent Assurance	7-2
7.1.4. Validation	7-3
7.1.5. Qualifying Construction Materials	7-3
7.1.5.1. Aggregate Source Certification.	7-3
7.1.5.2. Certification of Bituminous, Cementitious, and Other Materials	7-3
7.1.6. Construction and Materials Specifications	7-3
7.1.6.1. Specification Types	7-4
7.1.6.1.1. Method Specifications.	7-4
7.1.6.1.2. End-Result Specifications	7-4
7.1.6.1.3. Performance Specifications.	7-4
7.1.6.2. Incentive and Disincentives Provisions.	7-4
7.1.7. Contractor vs. Agency Testing Responsibilities	7-5
7.2. Construction Practices for Subgrades.	7-5
7.2.1. Removal and Replacement or Treatment of Moisture Susceptible or Expansive Soils	7-6
7.2.2. Chemical Stabilization	7-6
7.2.2.1. Stabilization Types.	7-6
7.2.2.2. Lime, Cement, and Cementitious Materials	7-7
7.2.2.2.1. Asphalt	7-9
7.2.3. Mechanical Stabilization.	7-9
7.2.3.1. Thick Granular Layers.	7-9
7.2.3.2. Geosynthetics	7-10
7.2.4. Grading, Shaping, and Compacting	7-12
7.2.4.1. Equipment and Methods	7-12

7.2.4.2. Testing and Acceptance	7-13
7.2.4.3. Intelligent Compaction	7-13
7.3. Construction Practices for Bases	7-13
7.3.1. Aggregate Base	7-14
7.3.1.1. Aggregate Material Requirements	7-14
7.3.1.2. Equipment and Methods	7-14
7.3.1.3. Testing and Acceptance	7-15
7.3.2. Asphalt-Treated Base	7-15
7.3.2.1. Material Requirements	7-16
7.3.2.2. Equipment and Methods	7-16
7.3.2.3. Testing and Acceptance	7-17
7.3.3. Cement-Treated and Lean Concrete Base	7-17
7.3.3.1. Material Requirements	7-17
7.3.3.2. Equipment and Methods	7-17
7.3.3.3. Testing and Acceptance	7-19
7.3.4. Reclaimed Asphalt Pavement as a Base	7-19
7.3.4.1. Material Requirements	7-19
7.3.4.2. Equipment and Methods	7-20
7.3.4.3. Testing and Acceptance	7-20
7.3.5. Reclaimed Concrete Pavement as a Base	7-20
7.3.5.1. Material Requirements	7-20
7.3.5.2. Equipment and Methods	7-20
7.3.5.3. Testing and Acceptance	7-21
7.4. Construction Practices for Asphalt Pavements	7-21
7.4.1. Asphalt Mixture Production	7-21
7.4.1.1. Asphalt Mixture Plant Types	7-21
7.4.1.1.1. <i>Batch Plant Operations and Components</i>	7-22
7.4.1.1.2. <i>Drum-Mix Plant Operations and Components</i>	7-23
7.4.2. Asphalt Mixture Placement	7-24
7.4.2.1. Paving Preparation: New Construction	7-24
7.4.2.1.1. <i>Subgrade</i>	7-24
7.4.2.1.2. <i>Base Layer(s)</i>	7-25
7.4.2.2. Paving Preparation: Overlay Construction	7-25
7.4.2.3. Prime Coat and Tack Coat Applications	7-25
7.4.2.3.1. <i>Prime Coat</i>	7-25
7.4.2.3.2. <i>Tack Coat</i>	7-26
7.4.2.4. Asphalt Mixture Delivery	7-27
7.4.2.4.1. <i>Load Tickets</i>	7-30
7.4.2.4.2. <i>Visual Inspection of the Asphalt Mixture</i>	7-30
7.4.2.5. Asphalt Mixture Placement	7-30

7.4.2.5.1. <i>Tractor (Material Feed System)</i>	7-31
7.4.2.5.2. <i>Screed</i>	7-32
7.4.2.5.3. <i>Material Transfer Vehicles (MTVs)</i>	7-33
7.4.2.5.4. <i>Handwork</i>	7-34
7.4.2.5.5. <i>Safety Edge</i>	7-34
7.4.2.6. <i>Asphalt Mixture Compaction</i>	7-35
7.4.2.6.1. <i>Equipment</i>	7-35
7.4.2.6.2. <i>Compaction Sequence</i>	7-38
7.4.2.6.3. <i>Roller Pattern</i>	7-39
7.4.2.6.4. <i>Longitudinal Joint</i>	7-39
7.4.2.7. <i>Asphalt Mixture Paving Issues</i>	7-42
7.4.2.7.1. <i>Asphalt Mixture Segregation</i>	7-42
7.4.2.7.2. <i>Temperature–Density Differentials</i>	7-42
7.4.3. <i>Asphalt Mixture Testing and Acceptance</i>	7-43
7.4.3.1. <i>Asphalt Mixture Production Tests</i>	7-43
7.4.3.2. <i>Asphalt Mixture Placement Tests</i>	7-44
7.4.4. <i>Constructing Smooth Asphalt Pavements</i>	7-44
7.4.4.1. <i>Asphalt Pavement Checklist</i>	7-45
7.5. Construction Practices for Concrete Pavements	7-47
7.5.1. <i>Production</i>	7-48
7.5.1.1. <i>Types of Plants</i>	7-48
7.5.1.1.1. <i>Dry Batch Plant</i>	7-48
7.5.1.1.2. <i>Wet Batch Plant</i>	7-49
7.5.1.2. <i>Production Issues</i>	7-49
7.5.2. <i>Placement</i>	7-50
7.5.2.1. <i>Slipform Placement and Consolidation</i>	7-50
7.5.2.2. <i>Fixed-Form Placement and Consolidation</i>	7-52
7.5.2.3. <i>Paving Preparation</i>	7-53
7.5.2.4. <i>Dowel Bar and Tie Bar Placement</i>	7-54
7.5.2.5. <i>Finishing and Texturing</i>	7-56
7.5.2.5.1. <i>Transverse Construction Joint</i>	7-57
7.5.2.5.2. <i>Surface Texture</i>	7-57
7.5.2.6. <i>Curing</i>	7-59
7.5.2.7. <i>Joint Construction</i>	7-61
7.5.2.7.1. <i>Joint Sawing</i>	7-61
7.5.2.7.2. <i>Joint Sealing</i>	7-61
7.5.2.7.3. <i>Safety Edge</i>	7-63
7.5.2.8. <i>Paving Issues</i>	7-64
7.5.2.8.1. <i>Placement in Hot Weather</i>	7-64
7.5.2.8.2. <i>Placement in Cold Weather</i>	7-65

7.5.2.8.3. Rain Protection	7-66
7.5.3. Testing and Acceptance	7-67
7.5.4. Constructing Smooth Concrete Pavements.	7-68
7.5.4.1. Concrete Pavement Checklist.	7-69
7.6. References.	7-71
Chapter 8. PAVEMENT EVALUATION	8-1
8.1. Pavement Distress	8-2
8.2. Pavement Distress Survey Techniques	8-5
8.2.1. Manual Surveys	8-6
8.2.2. Automated Surveys.	8-7
8.2.3. Fully Automated and Semi-Automated Data Processing	8-8
8.2.4. Data Collection Protocols and Standards	8-9
8.2.4.1. AASHTO Specifications and Test Methods for Assessing Pavement Condition	8-9
8.2.4.2. ASTM Specifications and Test Methods for Assessing Pavement Condition	8-10
8.2.5. Sampling for Distress Surveys	8-10
8.2.5.1. Sampling as Part of a Distress Survey.	8-10
8.2.5.2. Sampling as Part of an Automated Survey.	8-11
8.2.5.3. Network-Level Survey Frequency.	8-11
8.3. Field Sampling and Testing	8-11
8.3.1. Coring	8-12
8.3.2. Subsurface Sampling	8-13
8.3.3. Trenching	8-14
8.3.4. Deflection Testing.	8-14
8.3.5. Other Nondestructive Testing Methods	8-16
8.4. Pavement Drainage Surveys	8-17
8.5. References.	8-18
Chapter 9. STRUCTURAL TESTING aND ANALYSIS	9-1
9.1. Destructive Sampling and Testing	9-1
9.2. Nondestructive Testing (NDT) Techniques for Pavement Assessment	9-2
9.2.1. Deflection Testing.	9-2
9.2.1.1. Deflection Testing Equipment.	9-3
9.2.1.2. Deflection Testing Data Collection	9-6
9.2.1.3. Sources for Additional Information on Deflection Testing	9-6
9.2.2. Ground Penetrating Radar	9-7
9.2.2.1. GPR Equipment.	9-7
9.2.2.2. GPR Data Collection	9-8
9.2.2.3. GPR Accuracy	9-9
9.2.2.4. GPR Testing Procedures	9-10
9.2.3. Ultrasonic Pulse Velocity	9-10
9.2.3.1. UPV Testing Equipment.	9-11

9.2.3.2. UPV Data Collection	9-11
9.2.3.3. UPV Testing Procedures	9-11
9.2.4. Seismic Testing Devices	9-11
9.2.4.1. Impact–Echo	9-12
9.2.4.2. Spectral Analysis of Surface Waves (SASW).	9-13
9.2.4.3. Portable Seismic Property Analyzer (PSPA)	9-14
9.2.5. Magnetic Imaging Tomography	9-16
9.2.6. Devices for Locating Embedded Steel	9-17
9.2.6.1. Pachometer	9-17
9.2.6.2. Magnetic Pulse Induction Gauge	9-18
9.3. Backcalculation and Deflection Analysis	9-19
9.3.1. Sources for Additional Information on Backcalculation Procedures	9-23
9.3.2. Other Deflection-Related Analyses	9-23
9.3.2.1. Load Transfer	9-24
9.3.2.2. Void Detection	9-25
9.3.2.3. Effective Built-In Curl Analysis	9-25
9.3.2.4. Basin Shape Parameters	9-26
9.4. Accelerated Pavement Testing	9-26
9.4.1. APT Test Types	9-27
9.4.1.1. Test Facilities	9-27
9.4.1.2. Test Tracks	9-28
9.4.1.3. In-Service Pavements	9-29
9.4.2. APT Applications	9-30
9.4.2.1. Materials and Mix Design Assessment and Development	9-30
9.4.2.2. Structural Design Assessment and Development	9-30
9.4.2.3. Material and Construction QC/QA Procedures	9-30
9.4.2.4. Pavement Performance	9-31
9.4.2.5. Pavement Surface Characteristics	9-31
9.4.2.6. Sources for Additional Information on Accelerated Pavement Testing	9-31
9.5. Forensic Investigation	9-31
9.5.1. Elements of Forensic Investigation.	9-32
9.5.1.1. Records Review	9-32
9.5.1.2. Visual Assessment	9-32
9.5.1.3. Nondestructive Testing	9-32
9.5.1.4. Destructive Sampling	9-32
9.5.1.5. Laboratory Testing	9-33
9.6. References.	9-33
Chapter 10. PAVEMENT PRESERVATION TREATMENTS	10-1
10.1. Pavement Preservation Concepts	10-2
10.1.1. Benefits of Preservation	10-3

10.1.2. Applications and Use	10-5
10.1.3. Integrating Pavement Preservation with Pavement Management	10-5
10.2. Preservation Treatments	10-6
10.2.1. Treatment Characteristics	10-7
10.2.2. Crack Sealing or Crack Filling	10-8
10.2.2.1. Crack Sealing or Crack Filling Design and Construction Considerations	10-9
10.2.3. Fog Seals/Rejuvenators	10-14
10.2.3.1. Fog Seal/Rejuvenator Design and Construction Considerations	10-15
10.2.4. Slurry Seal and Microsurfacing	10-16
10.2.4.1. Slurry Seal/Microsurfacing Design and Construction Considerations	10-18
10.2.5. Chip Seals	10-19
10.2.5.1. Chip Seal Design and Construction Considerations	10-21
10.2.6. Thin Asphalt Overlays	10-23
10.2.6.1. Thin Asphalt Overlay Design and Construction Considerations	10-25
10.2.7. Ultra-Thin Bonded Wearing Course.	10-26
10.2.7.1. Ultra-Thin Bonded Wearing Course Design and Construction Considerations	10-27
10.2.8. Hot In-Place Recycling	10-28
10.2.8.1. Hot In-Place Surface Recycling Design and Construction Considerations	10-30
10.2.9. Cold In-Place Recycling.	10-32
10.2.9.1. Cold In-Place Surface Recycling Design and Construction Considerations	10-32
10.2.10. Concrete Crack Sealing and Joint Resealing	10-34
10.2.11. Crack Sealing and Joint Resealing Construction Considerations.	10-35
10.2.12. Diamond Grinding	10-36
10.2.13. Load Transfer Restoration.	10-38
10.2.13.1. Load Transfer Restoration Construction Considerations	10-39
10.2.14. Slab Stabilization (Undersealing)	10-43
10.2.14.1. Slab Stabilization Restoration Design and Construction Considerations	10-44
10.2.15. Concrete Pavement Patching	10-45
10.2.15.1. Slab Replacement Design and Construction Considerations	10-47
10.2.15.2. Partial-Depth Repair Design and Construction Considerations	10-55
10.2.16. Drainage Preservation	10-57
10.3. Treatment and Project Selection	10-58
10.3.1. Factors Affecting Selection	10-58
10.3.1.1. Pavement Condition	10-59
10.3.1.2. Traffic Level and Roadway Setting.	10-59
10.3.1.3. Climate	10-59
10.3.1.4. Work Zone Duration Restrictions.	10-60
10.3.1.5. Performance Expectations and Cost	10-60
10.3.1.6. Cost-Effectiveness Analysis.	10-60
10.4. References	10-61

Chapter 11. PAVEMENT REHABILITATION STRATEGIES	11-1
11.1. Rehabilitation PreTreatments	11-1
11.1.1. Preservation Treatments that can be used for Pretreatment	11-2
11.1.2. Asphalt Milling	11-2
11.1.3. Asphalt Reflection Cracking Mitigation	11-4
11.2. Asphalt Overlay of Asphalt Pavements	11-4
11.2.1. Asphalt Overlay—Purpose and Application	11-5
11.2.2. Asphalt Overlay—Limitations and Effectiveness	11-6
11.2.2.1. Asphalt Overlay—Design Considerations	11-6
11.2.2.2. Asphalt Overlay—Construction Considerations	11-6
11.2.2.2.1. Lift Thickness	11-7
11.2.2.2.2. Density	11-7
11.2.2.2.3. Smoothness	11-7
11.3. Asphalt Recycling	11-7
11.3.1. Asphalt Hot In-Plant Recycling	11-8
11.3.2. Asphalt Cold In-Plant Recycling (or Cold Central-Plant Recycling)	11-10
11.3.3. Asphalt Full-Depth Reclamation	11-12
11.4. Concrete Overlay of Asphalt Pavements	11-14
11.4.1. Concrete on Asphalt—Bonded (COA-B) Overlay	11-15
11.4.1.1. COA-B Overlay Limitations and Effectiveness	11-15
11.4.1.2. COA-B Overlay Design Considerations	11-16
11.4.1.2.1. COA-B Overlay Thickness Design	11-16
11.4.1.2.2. COA-B Overlay Joint Design	11-17
11.4.1.2.3. COA-B Overlay Mix Design	11-17
11.4.1.3. COA-B Overlay—Construction Considerations	11-17
11.4.2. Concrete on Asphalt—Unbonded (COA-U) Overlay	11-18
11.4.2.1. COA-U Overlay —Limitations and Effectiveness	11-18
11.4.2.2. COA-U Overlay—Design Considerations	11-19
11.4.2.2.1. COA-U Overlay—Thickness Design	11-19
11.4.2.2.2. COA-U Overlay—Joint Design	11-19
11.4.2.2.3. COA-U Overlay—Mix Design	11-19
11.4.2.3. COA-U Overlay—Construction Considerations	11-19
11.5. Concrete Overlays of Concrete Pavements	11-20
11.5.1. Concrete on Concrete—Bonded (COC-B) Overlay	11-20
11.5.1.1. COC-B—Purpose and Application	11-21
11.5.1.2. COC-B—Limitations and Effectiveness	11-21
11.5.1.3. COC-B—Design Considerations	11-22
11.5.1.3.1. COC-B—Thickness Design	11-22
11.5.1.3.2. COC-B—Bonding Condition	11-22
11.5.1.3.3. COC-B—Joint Design	11-22

11.5.1.3.4. COC–B— <i>Mix Design</i>	11-22
11.5.1.4. COC–B—Construction Considerations.	11-23
11.5.2. Concrete on Concrete—Unbonded (COC–U) Overlay	11-23
11.5.2.1. COC–U—Purpose and Application	11-24
11.5.2.2. COC–U—Limitations and Effectiveness	11-24
11.5.2.3. COC–U—Design Considerations.	11-25
11.5.2.3.1. COC–U— <i>Thickness Design</i>	11-25
11.5.2.3.2. COC–U— <i>Separation Layer Design</i>	11-25
11.5.2.3.3. COC–U— <i>Joint Design</i>	11-25
11.5.2.3.4. COC–U— <i>Mix Design</i>	11-26
11.5.2.4. COC–U—Construction Considerations	11-26
11.6. Asphalt Overlay of Concrete Pavements	11-26
11.6.1. Asphalt Overlay on Concrete—Purpose and Application	11-26
11.6.1.1. Asphalt Overlay on Concrete—Limitations and Effectiveness	11-27
11.6.1.2. Asphalt Overlay on Concrete—Design Considerations	11-27
11.6.1.2.1. <i>Asphalt Mixture</i>	11-27
11.6.1.2.2. <i>Overlay Thickness</i>	11-27
11.6.1.2.3. <i>Treatment of Reflection Cracking</i>	11-27
11.6.1.2.3.1. <i>Fabrics and Geotextiles</i>	11-28
11.6.1.2.3.2. <i>Full-Depth Repair</i>	11-28
11.6.1.2.3.3. <i>Partial-Depth Repair</i>	11-28
11.6.1.2.3.4. <i>Load Transfer Restoration</i>	11-29
11.6.1.2.3.5. <i>Slab Stabilization</i>	11-29
11.6.1.2.3.6. <i>Fractured Slab Rehabilitation Techniques</i>	11-29
11.6.1.2.3.7. <i>Saw and Seal Joints</i>	11-29
11.6.1.3. Asphalt Overlay on Concrete—Construction Considerations	11-29
11.6.2. Crack/Break and Seat and Asphalt Overlay on Concrete	11-30
11.6.2.1. Crack/Break and Seat and Asphalt Overlay on Concrete—Purpose and Application.	11-30
11.6.2.2. Crack/Break and Seat and Asphalt Overlay on Concrete—Limitations and Effectiveness	11-32
11.6.2.2.1. <i>Crack and Seat</i>	11-32
11.6.2.2.2. <i>Break and Seat</i>	11-32
11.6.2.3. Crack/Break and Seat and Asphalt Overlay on Concrete—Design Considerations	11-33
11.6.2.4. Crack/Break and Seat and Asphalt Overlay on Concrete—Construction Considerations	11-33
11.6.3. Concrete Rubblization and Asphalt Overlay	11-34
11.6.3.1. Concrete Rubblization and Asphalt Overlay—Purpose and Application	11-34
11.6.3.2. Concrete Rubblization and Asphalt Overlay—Limitations and Effectiveness	11-35
11.6.3.3. Concrete Rubblization and Asphalt Overlay—Design Considerations.	11-37
11.6.3.4. Concrete Rubblization and Asphalt Overlay—Construction Considerations	11-38
11.7. Rehabilitation Treatment and Project Selection	11-40
11.7.1. Identification of Feasible Alternatives	11-41

11.7.2. Selection Criteria	11-46
11.7.2.1. Treatment Cost	11-47
11.7.2.2. Overriding Factors	11-47
11.7.2.3. Incorporating Other Factors in the Selection Process	11-47
11.8. References	11-50
Chapter 12. PAVEMENT MANAGEMENT	12-1
12.1. Basic Pavement Management Framework	12-1
12.2. Pavement Management Components	12-2
12.3. Benefits of Using Pavement Management	12-3
12.4. Pavement Condition Assessment and Pavement Management	12-4
12.5. Pavement Inventory Data	12-4
12.6. Pavement Performance Modeling	12-5
12.6.1. Data Requirements for Pavement Performance Modeling	12-5
12.6.2. Performance Modeling Approaches	12-6
12.7. Project and Treatment Selection	12-7
12.8. Implementing a Pavement Management System	12-8
12.8.1. Pavement Management Software	12-8
12.8.2. Pavement Management System Implementation Steps	12-9
12.9. Future Directions in Pavement Management	12-10
12.10. Asset Management Principles	12-10
12.10.1. Core Concepts	12-10
12.10.2. Measures, Tools, and Data for Asset Management	12-11
12.10.2.1. Performance Management	12-11
12.10.2.2. Analytical Tools	12-12
12.10.2.3. Asset Data	12-13
12.10.3. Implementing Asset Management	12-14
12.10.4. Implications for Pavement Management	12-15
12.11. References	12-16
Chapter 13. PAVEMENT SUSTAINABILITY	13-1
13.1. GENERAL	13-1
13.1.1. What is Sustainability?	13-1
13.1.2. Why Should the Pavement Industry Care about Sustainability?	13-4
13.2. Sustainability Factors	13-5
13.2.1. Economic Factors	13-5
13.2.2. Environmental Factors	13-5
13.2.3. Societal Factors	13-6
13.3. General Strategies for Improving Pavement Sustainability	13-6
13.4. Sustainable Practices for Asphalt Pavements	13-7
13.4.1. Sustainable Asphalt Pavement Design	13-7
13.4.2. Sustainable Asphalt Pavement Material Selection and Construction	13-8

13.4.3. Sustainable Asphalt Pavement Maintenance and Rehabilitation 13-9

13.4.4. Sustainable In-Service Asphalt Pavements 13-10

13.4.5. Sustainable Asphalt Pavement End-of-Life Strategies 13-10

13.5. Sustainable Practices for Concrete Pavements 13-10

13.5.1. Sustainable Concrete Pavement Design 13-11

13.5.2. Sustainable Concrete Pavement Material Selection and Construction 13-11

13.5.3. Sustainable Concrete Pavement Maintenance and Rehabilitation 13-12

13.5.4. Sustainable In-Service Concrete Pavements 13-13

13.5.5. Sustainable Concrete Pavement End-of-Life Strategies 13-13

13.6. Assessment of Sustainable Practices 13-14

13.6.1. Environmental Life-Cycle Assessment (LCA) 13-14

13.6.2. Sustainable Pavements Rating Systems 13-15

13.6.3. FHWA Sustainable Highways Self-Evaluation Tool (INVEST). 13-15

13.7. Concluding Remarks on Pavement Sustainability 13-18

13.8. References 13-19

List of Figures

Figure 2-1. Basic Components of a Typical Pavement System.....	2-1
Figure 2-2. Asphalt Pavement Structure and Load Distribution.....	2-4
Figure 2-3. Concrete Pavement Structure and Load Distribution	2-4
Figure 2-4. Asphalt Pavement Structural Designs (Source: modified from AASHTO, 2020).....	2-6
Figure 2-5. Composite Pavement.....	2-6
Figure 2-6. Porous Asphalt with Stone Reservoir (Source: FHWA, 2015)	2-9
Figure 2-7. Typical Concrete Pavement Cross Section (Source: modified from ARA, 2004).....	2-10
Figure 2-8. Concrete Pavement Joints (Source: ACPA, 2010).....	2-12
Figure 2-9. Schematic of a JPCP Pavement Design (Source: Hoerner et al., 2001)	2-13
Figure 2-10. Schematic of a JRCP Pavement Design (Source: Hoerner et al., 2001)	2-14
Figure 2-11. Schematic of a CRCP Pavement Design (Source: Hoerner et al., 2001)	2-14
Figure 2-12. Continuous Application of Precast Concrete Slabs (Source: Buch, 2007)	2-16
Figure 2-13. Pervious Concrete Pavement Cross-Section	2-17
Figure 2-14. Long-Life Asphalt Pavement.....	2-19
Figure 3-1. Semi-Log Plot of a Sample Gradation (Source: Witczak, 2004).....	3-3
Figure 3-2. 0.45 Power Scale of the Same Gradation Shown in Figure 3-1 (Source: Witczak, 2004)	3-3
Figure 3-3. Triaxial Cell for Testing Cylindrical Specimens (Source: Witczak, 2004).....	3-6
Figure 3-4. Approximate Relationships between Various Soil Classifications and Properties (Source: PCA, 1992) ...	3-9
Figure 3-5. Volumetric and Mass Relationships for a Soil Shown as a Phase Diagram	3-11
Figure 3-6. Four Moisture States of Aggregate: (a) Oven-Dry, (b) Air-Dry, (c) Saturated Surface-Dry, and (d) Wet.....	3-11
Figure 3-7. Typical Moisture–Density Plot Illustrating Optimal Moisture Content	3-12
Figure 3-8. Particle Angularity (Source: Washington State Department of Transportation [WSDOT])	3-14
Figure 3-9. Flat and Elongated Particles (Source: WSDOT)	3-15
Figure 3-10. Aggregate with 100 Percent Non-Fractured Faces and Aggregate with 100 Percent Fractured Faces (Source: WSDOT).....	3-15
Figure 3-11. Calipers for Evaluating Flat and Elongated Particles (Source: WSDOT).....	3-16
Figure 3-12. Distillation of Crude Petroleum (Source: Asphalt Institute, 2007)	3-21
Figure 3-13. Asphalt Mixture Phase Diagram (Source: modified from Yu, 2012)	3-31
Figure 3-14. Gradation Control Points for a 12.5-mm Nominal Maximum Aggregate Size Gradation (Source: AASHTO M 323).....	3-33
Figure 3-15. Superpave Gyratory Compactors (Source: FHWA, 2010)	3-35
Figure 3-16. Manufacturing Process for Portland Cement (Source: Kosmatka and Wilson, 2011)	3-39
Figure 3-17. Fly Ash (a) and a Scanning Electron Micrograph of Fly Ash Particles Magnified 1000X (b) (Source: Kosmatka and Wilson, 2011).....	3-42
Figure 3-18. Slag Cement (a) and a Scanning Electron Micrograph of Slag Particles Magnified 2100X (b) (Source: Kosmatka and Wilson, 2011).....	3-43
Figure 3-19. Silica Fume (a) and a Scanning Electron Micrograph of Silica Fume Magnified 20,000X (b) (Source: Kosmatka and Wilson, 2011).....	3-44

Figure 3-20. Metakaolin (a) and a Scanning Electron Micrograph of Calcined Clay Particles Magnified 2000X (b)
(Source: Kosmatka and Wilson, 2011) 3-45

Figure 3-21. Ternary Diagram Illustrating the Oxide Composition of Cement and Common SCMs
(Source: Taylor et al., 2006) 3-46

Figure 3-22. Diagram Illustrating the Particle Size Distribution of Cement and Common SCMs
(Source: Taylor et al., 2006) 3-46

Figure 3-23. Stereomicroscope Micrograph of Entrained Air-Void System (Magnified 7X)
(Source: Karl Peterson) 3-52

Figure 3-24. Illustration of Spacing Factor (Source: Virginia Department of Transportation [VDOT])..... 3-53

Figure 3-25. Compressive Strength Test (Source: Wikipedia author Xb-70, 2006) 3-61

Figure 3-26. Third-Point Flexural Testing (Source: University of New Mexico [UNM])..... 3-63

Figure 3-27. Splitting Tensile Strength Test (Source: UNM) 3-64

Figure 3-28. Durability Cracking at Coles County Memorial Airport in Mattoon, IL 3-67

Figure 3-29. Example Relationship between Compressive Strength and w-cm for Concrete Using 0.75-in. to 1.0-in.
Nominal Maximum Size Coarse Aggregate (Source: Kosmatka and Wilson, 2011)..... 3-73

Figure 3-30. Modified Coarseness Factor Chart (Source: Shilstone, 1990) 3-76

Figure 3-31. 0.45 Power Chart for 1-in. Nominal Maximum Aggregate (Source: Taylor et al., 2006 from Shilstone,
personal communication) 3-76

Figure 3-32. Percent Aggregate Retained Chart (Source: Shilstone, 1990) 3-77

Figure 3-33. Tarantula Curve compared to Shilstone (Source: modified from Shilstone 1990)..... 3-78

Figure 3-34. Target Total Air Content Requirements for Concrete with Different Aggregate Sizes
(Source: Kosmatka and Wilson, 2011) 3-79

Figure 4-1. Lateral Traffic Wander 4-17

Figure 4-2. Mean Wheel Location 4-17

Figure 4-3. General Design Methodology (Source: modified from AASHTO, 2020) 4-27

Figure 4-4. Reliability Concept (Source: modified from AASHTO, 2008) 4-29

Figure 4-5. General Calibration Flowchart (Source: FHWA, 2010)..... 4-30

Figure 4-6. Critical Asphalt Pavement Response Locations 4-34

Figure 4-7. Critical JPCP Response Locations 4-37

Figure 4-8. Critical CRCP Response Locations 4-37

Figure 4-9. Permeable Base with Edgedrain (Source: modified from ARA, 2004)..... 4-44

Figure 4-10. Headwall (Source: FHWA, 1992) 4-44

Figure 4-11. Nonerodible Base with Edgedrain (Source: modified from ARA, 2004)..... 4-45

Figure 4-12. Nonerodible Base, Edgedrain, and Porous Concrete Shoulder (Source: modified from ARA, 2004).. 4-45

Figure 4-13. Daylighted Permeable Base (Source: ARA, 2004) 4-46

Figure 4-14. Daylighted Dense-Graded Aggregate Base 4-47

Figure 4-15. Formation of Ice Lenses in a Pavement Structure (Source: Washington State Department of Transporta-
tion [WSDOT], 1999) 4-48

Figure 5-1. Longitudinal and Lateral Profiles along Roadway Surface (Source: Sayers and Karamihas, 1998) 5-3

Figure 5-2. Reference Device Equipment and Operation (Source: Washington State Department
of Transportation [WSDOT])..... 5-5

Figure 5-3. California Profilograph (Source: Nicholas Schaefer)..... 5-6

Figure 5-4. Schematic of Profile Van (Source: Sayers and Karamihas, 1998)	5-6
Figure 5-5. Example of Profile Van (Source: WSDOT)	5-7
Figure 5-6. Example of Pavement Condition Van (Source: Pierce and Muench, 2009)	5-7
Figure 5-7. Profilograph Trace and P _{RI} Computation (Source: Grogg and Smith, 2002).....	5-11
Figure 5-8. IRI Range by Roadway Type (Source: Sayers and Karamihas, 1998).....	5-12
Figure 5-9. Illustration of Microtexture and Macrottexture of a Road Surface (Source: Tighe et al., 2000)	5-14
Figure 5-10. Illustration of Microtexture, Macrottexture, and Megattexture for Road Surfaces (Source: AASHTO, 2022)	5-14
Figure 5-11. British Pendulum Tester (Source: AASHTO T 278).....	5-16
Figure 5-12. DF Tester (Source: NCPP, undated)	5-17
Figure 5-13. Sand Patch Test Kit (Source: ASTM, 2006b)	5-18
Figure 5-14. CT Meter (Source: NCPP, undated)	5-19
Figure 5-15. RoboTex Low-Speed Texture Measurement System (Source: Cackler, Harrington, and Ferragut, 2006)	5-20
Figure 5-16. RoboTex Three-Dimensional (3D) Texture Plot (Source: Cackler, Harrington, and Ferragut, 2006)	5-20
Figure 5-17. High-Speed Texture Profiling System (Source: TFHRC, undated)	5-21
Figure 5-18. Texture Measurement Using the OF Meter (Source: Hall et al., 2009).....	5-22
Figure 5-19. Pavement Surface Texture Spectrum (Source: Sandberg and Ejsmont, 2002).....	5-24
Figure 5-20. Simplified Diagram of Forces Acting on a Rotating Wheel (Source: Hall et al., 2009).....	5-29
Figure 5-21. Pavement Longitudinal Friction versus Tire Slip (Source: AASHTO, 2022)	5-30
Figure 5-22. Key Mechanisms of Pavement–Tire Friction (Source: Hall et al., 2009)	5-31
Figure 5-23. Locked-Wheel Friction Trailer (Source: Pierce, 2000)	5-32
Figure 5-24. Ribbed and Smooth Test Tires Used for Locked-Wheel Friction Testing (Source: AASHTO M 261 [ASTM E501] and AASHTO M 286 [ASTM E524])	5-33
Figure 5-25. Weighting Curves Used for Sound Pressure Level Adjustment (Source: Rasmussen et al., 2007).....	5-41
Figure 5-26. Example of Various Sound Level Measurements (Source: Rasmussen et al., 2007).....	5-41
Figure 5-27. CPX Trailer (Source: Hanson, James, and NeSmith, 2004)	5-43
Figure 5-28. CPX Trailer Close-Up (Source: Rasmussen et al., 2007)	5-44
Figure 5-29. OBSI Equipment (Source: Donovan, 2011)	5-44
Figure 5-30. Acoustical Absorption Test Equipment	5-47
Figure 5-31. Texture Measurement Equipment (Source: Rasmussen et al., 2007)	5-48
Figure 5-32. OGFC Surface Texture (Source: Smit and Waller, 2007a)	5-48
Figure 5-33. SMA Aggregate Structure (Source: Pierce, 2000)	5-49
Figure 5-34. European Two-Layer Asphalt Design (Source: Bendtsen and Larsen, 2001).....	5-50
Figure 5-35. NGCS Second-Pass Diamond Grinding Head (Source: Scofield, 2008).....	5-51
Figure 5-36. Next Generation Concrete Surface.....	5-51
Figure 5-37. Two-Lift Concrete Construction (Source: Gerhardt, 2008)	5-52
Figure 6-1. Pavement-Type Selection Process (Source: AASHTO, 1993)	6-2
Figure 6-2. Process for Conducting Project-Level Pavement LCCA (Source: Walls and Smith, 1998)	6-4

Figure 6-3. Illustration of Analysis Period for a Pavement Design Strategy (Source: modified from Walls and Smith, 1998)..... 6-6

Figure 6-4. Alternatives Performance Curve Comparison (Source: modified from Walls and Smith, 1998) 6-10

Figure 6-5. Example Probability Distribution 6-12

Figure 6-6. Example of Expenditure Stream Diagram 6-12

Figure 6-7. Example Expenditure Stream Diagram for a Pavement Design Alternative 6-14

Figure 6-8. Example Tornado Plot..... 6-16

Figure 7-1. Finished Subgrade (Source: Washington State Department of Transportation [WSDOT]) 7-5

Figure 7-2. Chemical Stabilization of Subgrade Soil (Source: Colorado DOT [CDOT])..... 7-7

Figure 7-3. Stabilized and Unstabilized Subgrade Construction Process (Source: modified from ACPA, 2007) 7-8

Figure 7-4. Placement of Thick Granular Layer (Source: WSDOT) 7-10

Figure 7-5. Geosynthetics Construction Sequence (Source: Holtz, Christopher, and Berg, 1998)..... 7-12

Figure 7-6. Unstabilized Base Construction Process (Source: ACPA, 2007) 7-15

Figure 7-7. Placement and Close-Up of Texture of ATB (Source: West Virginia Division of Highways [WVDOH]) 7-16

Figure 7-8. Cement-Treated Base Construction (Source: ACPA, 2007) 7-18

Figure 7-9. Lean Concrete Base Construction (Source: ACPA, 2007) 7-19

Figure 7-10. Batch Plant Elements (Source: AI, 2020)..... 7-23

Figure 7-11. Drum-Mix Plant Elements (Source: AI, 2020) 7-24

Figure 7-12. Tack Coat Application (Source: WSDOT) 7-27

Figure 7-13. Broken Tack Coat (Source: NHI, 2002)..... 7-27

Figure 7-14. Example of an End-Dump Truck (Source: WSDOT)..... 7-28

Figure 7-15. Example of an End-Dump Truck with Windrow Blender Device (Source: WSDOT) 7-29

Figure 7-16. Example of Bottom-Dump Truck (Source: WSDOT) 7-29

Figure 7-17. Example of Live-Bottom Dump Truck (Source: WSDOT)..... 7-30

Figure 7-18. Schematic of Asphalt Mixture Paver (Source: AI, 2020) 7-31

Figure 7-19. Schematic of Material Feed System (Source: USACE, 2000) 7-32

Figure 7-20. Example of a Windrow Elevator (Source: WSDOT) 7-33

Figure 7-21. Examples of a Surge Volume/Remixer 7-33

Figure 7-22. Safety Edge for Asphalt Pavements and Asphalt Pavement Overlays (Source: FHWA, 2010a) 7-34

Figure 7-23. Example of an Asphalt Pavement Safety Edge (Source: FHWA, 2011)..... 7-35

Figure 7-24. Example of Paver Screed (Source: NHI, 2002)..... 7-36

Figure 7-25. Example of Steel-Wheel Roller (Source: WSDOT) 7-37

Figure 7-26. Example of Steel Wheel Finish Roller (Source: WSDOT)..... 7-37

Figure 7-27. Example of Pneumatic Tire Roller (Source: NHI, 2002) 7-38

Figure 7-28. Poorly Performing Longitudinal Joints 7-40

Figure 7-29. Offset Multiple Lifts of Asphalt Mixture 7-40

Figure 7-30. Proper Construction of First Paver Pass (Source: PAPA/PennDOT, 2007) 7-41

Figure 7-31. Compaction of the Unsupported Edge (Source: modified from PAPA/PennDOT, 2007)..... 7-41

Figure 7-32. Compaction of the Confined Edge (Source: modified from PAPA/PennDOT, 2007)..... 7-42

Figure 7-33. Example of Image Showing Temperature–Density Differentials (Source: WSDOT)	7-43
Figure 7-34. Dry Concrete Batch Plant (Source: WSDOT)	7-48
Figure 7-35. Wet (or Central Mix) Concrete Batch Plant	7-49
Figure 7-36. Concrete Paving Methods (Source: WSDOT)	7-50
Figure 7-37. Slipform Concrete Placement (Source: WSDOT)	7-51
Figure 7-38. Components of a Slipform Paver (Source: ACPA)	7-51
Figure 7-39. Example of Fixed Form Concrete Placement (Source: WSDOT)	7-52
Figure 7-40. String Line for Concrete Placement (Source: Missouri DOT [MoDOT])	7-53
Figure 7-41. Stringless Paving Operation (Source: MoDOT)	7-54
Figure 7-42. Dowel Bar Baskets and Dowel Bar Inserters (Source: WSDOT)	7-55
Figure 7-43. Tie Bar Baskets and Tie Bar Inserter	7-56
Figure 7-44. Use of Bull Floats to Remove Minor Surface Irregularities (Source: WSDOT)	7-56
Figure 7-45. Transverse Construction Joint (Source: WSDOT)	7-57
Figure 7-46. Example of Drag Texturing (Source: WSDOT)	7-58
Figure 7-47. Longitudinal Tining (Source: WSDOT)	7-58
Figure 7-48. Applying Curing Compound (Source: ACPA)	7-60
Figure 7-49. Safety Edge for Concrete Pavements and Concrete Overlays (Source: FHWA, 2010a)	7-63
Figure 7-50. Example of Safety Edge (Source: FHWA, 2011)	7-63
Figure 8-1. Steps in Data Collection and Analysis	8-8
Figure 8-2. Example of a Sampling Approach	8-10
Figure 8-3. Schematic Diagram of FWD Testing Equipment (Source: Smith et al., 2010)	8-15
Figure 9-1. Typical Pavement Deflection Basin	9-2
Figure 9-2. Benkelman Beam (Source: A. Vasquez from Caltrans)	9-3
Figure 9-3. Dynaflect (Source: Nazef, 2000)	9-4
Figure 9-4. Example of a Falling Weight Deflectometer	9-5
Figure 9-5. TSD Truck (Source: Georgia Department of Transportation [GDOT])	9-5
Figure 9-6. Air-Coupled GPR (Source: Scullion, 2005)	9-7
Figure 9-7. GPR Principles (Source: Scullion, Chen, and Lau, 1995)	9-8
Figure 9-8. GPR Scan of CRCP (Source: Chen, 2010)	9-9
Figure 9-9. UPV Testing	9-10
Figure 9-10. Schematic of Impact–Echo (Source: Gucunski and Maher, 2000)	9-12
Figure 9-11. Schematic of SASW (Source: modified from Gucunski and Maher, 2000)	9-14
Figure 9-12. PSPA (Source: Celaya, Young, and Nazarian, 2009)	9-15
Figure 9-13. Magnetic Pulse Induction Gauge (Source: Ye and Tayabji, 2009)	9-16
Figure 9-14. Placement of Metal Reflector Prior to Paving (Source: Ye and Tayabji, 2009)	9-17
Figure 9-15. Pachometer Schematic (Source: redrawn from ACI, 1998)	9-18
Figure 9-16. Magnetic Pulse Induction Gauge Measuring Dowel Location (Source: Yu and Khazanovich, 2005) ...	9-19
Figure 9-17. Depiction of Load Transfer (Source: Hoerner et al., 2001)	9-24
Figure 9-18. Example Void Detection Plot (Source: Croveti and Darter, 1985)	9-25
Figure 9-19. ATLAS Test Facility (Source: Al-Qadi et al., 2009)	9-27

Figure 9-20. Florida HVS Mobile Testing Device (Source: Florida DOT [FDOT], 2011) 9-28

Figure 9-21. Caltrans HVS Mobile Testing Device (Source: Washington State DOT [WSDOT])..... 9-28

Figure 9-22. NCAT Pavement Test Track (Source: NCAT, undated) 9-29

Figure 9-23. MnROAD Test Road (Source: MnROAD, undated) 9-30

Figure 10-1. Relationship between Pavement Condition and Different Categories of Pavement Treatment
(Source: modified from Peshkin et al., 2011) 10-3

Figure 10-2. Typical Pavement Condition as a Function of Time (Source: modified from Hicks, Seeds,
and Peshkin, 2000) 10-4

Figure 10-3. Crack Sealing (Source: NHI) 10-8

Figure 10-4. One Example of Equipment (Rotary Impact Router) Used for Crack Grouting (Source: NHI) 10-10

Figure 10-5. Examples of Crack Cleaning and Drying Equipment (Source: NHI) 10-11

Figure 10-6. Sealant Configurations (Source: Smith and Romine, 1999) 10-12

Figure 10-7. Example of Sealant Placement and Shaping (Source: NHI) 10-13

Figure 10-8. Placement of Blotter Sand (Source: NHI) 10-13

Figure 10-9. Fog Seal Application (Source: Washington State Department of Transportation [WSDOT]) 10-14

Figure 10-10. Fog Seal/Rejuvenator Application (Source: NHI) 10-16

Figure 10-11. Slurry Seal and Microsurfacing Applications 10-17

Figure 10-12. Examples of Slurry Seal/Microsurfacing Spreader Boxes 10-19

Figure 10-13. Chip Seal Application (Source: NHI) 10-20

Figure 10-14. Chip Seal Aggregate Application (Source: NHI) 10-22

Figure 10-15. Rolling Aggregate for Chip Seal Application (Source: WSDOT) 10-23

Figure 10-16. Thin Asphalt Application (Source: S. Muench) 10-24

Figure 10-17. Ultra-Thin Bonded Wearing Course (Source: Uhlmeyer, Pierce, and Weston, 2003) 10-26

Figure 10-18. Example of Special Paving Equipment for Ultra-Thin Bonded Wearing Course
(Source: Uhlmeyer, Pierce, and Weston, 2003) 10-28

Figure 10-19. HIR Recycling Train (Source: NHI) 10-29

Figure 10-20. Example of HIR Heater Scarifier Unit (Source: Russell et al., 2010) 10-31

Figure 10-21. Example of HIR Scarifier (Source: NHI) 10-31

Figure 10-22. Example of HIR Mixing Unit (Source: Russell et al., 2010) 10-32

Figure 10-23. Joint Resealing (Source: J. Roberts) 10-34

Figure 10-24. Diamond Grinding (Source: NHI) 10-36

Figure 10-25. Diamond Grinding Head (Source: Roberts) 10-37

Figure 10-26. Dowel Bar Retrofit (Source: WSDOT) 10-38

Figure 10-27. Slot Cutting Equipment (Source: Pierce, Uhlmeyer, and Weston, 2009) 10-40

Figure 10-28. Removing Existing Concrete Material between Saw Cuts (Source: WSDOT) 10-40

Figure 10-29. Cleaning the Dowel Bar Retrofit Slot (Source: WSDOT) 10-41

Figure 10-30. Caulking Existing Joints or Cracks within the Dowel Bar Retrofit Slot (Source: WSDOT) 10-41

Figure 10-31. Dowel Bar Assemblies Inserted into the Dowel Bar Slots (Source: WSDOT) 10-42

Figure 10-32. Placing Grout Material into Dowel Bar Retrofit Slot (Source: WSDOT) 10-42

Figure 10-33. Drilling Injection Hole for Slab Stabilization (Source: J. Morris) 10-43

Figure 10-34. Recommended Slab Stabilization Injection Hole Pattern (Source: modified from Smith et al., 2022)	10-45
Figure 10-35. Slab Replacement (Source: WSDOT)	10-46
Figure 10-36. Spall Repair (Source: R. Seghetti)	10-46
Figure 10-37. Repair Boundary Recommendations for JPCP (Source: NHI, 2007)	10-48
Figure 10-38. Repair Boundary Recommendations for JRCP (Source: NHI, 2007).....	10-48
Figure 10-39. Repair Boundary Recommendations for CRCP (Source: NHI, 2007).....	10-48
Figure 10-40. Example of Relief Cuts for Full-Depth Slab Repair (Source: WSDOT)	10-50
Figure 10-41. Recommended Saw Cuts for CRCP (Source: FHWA, 1985)	10-50
Figure 10-42. Concrete Removal Using Breakup Method (Source: WSDOT).....	10-51
Figure 10-43. Concrete Removal Using Lift-Out Method (Source: Missouri Department of Transportation [MoDOT]).....	10-51
Figure 10-44. Repair Area Preparation (Source: WSDOT)	10-52
Figure 10-45. Recommended Dowel Bar Placement (Source: modified from NHI, 2007).....	10-53
Figure 10-46. Welded or Mechanical Connection Details for CRCP Repairs (Source: NHI, 2007)	10-53
Figure 10-47. Placing Concrete for Full-Depth Repair (Source: WSDOT)	10-54
Figure 10-48. Texturing Concrete for Full-Depth Repair (Source: NHI, 2007)	10-54
Figure 10-49. Applying Curing Compound for Full-Depth Repair (Source: WSDOT)	10-55
Figure 10-50. Saw Cutting Spall Repair Boundary (Source: WSDOT).....	10-56
Figure 10-51. Compressible Insert for Spall Repair (Source: Wilson, Smith, and Romine, 1999)	10-57
Figure 11-1. Asphalt Milling (Source: Washington State Department of Transportation [WSDOT])	11-3
Figure 11-2. Milled Surface (Source: WSDOT)	11-3
Figure 11-3. Asphalt Overlay Application (Source: WSDOT)	11-5
Figure 11-4. Plant with RAP in Feed (Source: WSDOT).....	11-9
Figure 11-5. Asphalt Cold Central Plant Recycling (Source: D. Matthews).....	11-10
Figure 11-6. Stockpiled Recycled Asphalt Millings (Source: Boggs Construction Co.)	11-11
Figure 11-7. Full-Depth Reclamation Schematic (Source: ARRA, 2001).....	11-12
Figure 11-8. Full-Depth Reclaiming (Source: D. Matthews).....	11-13
Figure 11-9. Bonded Concrete Overlay of Existing Asphalt (Source: Harrington et al., 2008).....	11-15
Figure 11-10. Unbonded Concrete Overlay of Existing Asphalt Pavement (Source: Harrington et al., 2008).....	11-18
Figure 11-11. Transverse Saw Cut for Unbonded Concrete Overlays (Source: Harrington et al., 2008)	11-20
Figure 11-12. Bonded Concrete Overlay of Existing Concrete Pavement (Source: Harrington et al., 2008).....	11-21
Figure 11-13. Unbonded Concrete Overlay of Existing Concrete Pavement (Source: Harrington et al., 2008)	11-24
Figure 11-14. Guillotine Hammer (Source: Kansas Department of Transportation [KDOT])	11-31
Figure 11-15. Impact Hammer (Source: WSDOT).....	11-31
Figure 11-16. Resonant Breaker (Source: Missouri Department of Transportation [MoDOT])	11-35
Figure 11-17. Resonant Breaker Surface (Source: MoDOT).....	11-36
Figure 11-18. Multi-Head Breaker (Source: MoDOT)	11-36
Figure 11-19. Multi-Head Breaker Surface (Source: MoDOT).....	11-37

Figure 11-20. Compact Rubblized Layer Using a Z-Grid Roller (Source: TRB, 2006)..... 11-38

Figure 11-21. Compacted Rubblized Concrete Surface (Source: TRB, 2006) 11-39

Figure 11-22. Unbonded Concrete Overlay of Existing Concrete Pavement
(Source: Harrington et al., 2008) 11-39

Figure 11-23. Example Decision Trees for Rehabilitation and Preventive Maintenance (Source: modified from
Hicks, Dunn, and Moulthrop, 1997)..... 11-45

Figure 11-24. Decision Tree for Rehabilitation of JPCP (Source: Hall et al., 1988) 11-46

Figure 12-1. Pavement Management Components (Source: AASHTO, 2012)..... 12-3

Figure 12-2. Backlog and PCI over Time and under Different Annual Funding Scenarios (Source: modified from
Romell and Tan, 2010)..... 12-8

Figure 12-3. Steps in Establishing a Performance Management Program
(Source: Cambridge Systematics et al., 2006)..... 12-12

Figure 12-4. Concept for an Asset Management Analytical Toolbox
(Source: Cambridge Systematics et al., 2005)..... 12-13

Figure 12-5. TAM Guide Framework (Source: AASHTO, 2020b) 12-14

Figure 13-1. Graphical Representation of Sustainability’s “Triple-Bottom Line” of Economic, Environmental,
and Societal Interests..... 13-2

Figure 13-2. The Pavement Life Cycle (Source: Harvey et al., 2016) 13-3

Figure 13-3. INVEST Project Development Scorecard (Source: FHWA, 2024b) 13-17

List of Tables

Table 3-1. Common Sieve Designations and Sizes Used in Highway Construction	3-2
Table 3-2. Subgrade Soil Types and Approximate k -Values	3-7
Table 3-3. AASHTO Soil Classification (Source: AASHTO M 145)	3-17
Table 3-4. Unified Soil Classification System (USCS) Classification (Source: modified from ASTM D2487)	3-18
Table 3-5. Example of Performance-Graded Asphalt Binder Specification (adapted from AASHTO M 320/M 332).....	3-23
Table 3-6. Binder Grades in the Performance-Graded Asphalt Binder Specifications.....	3-23
Table 3-7. Recommended Superpave Aggregate Consensus Properties.....	3-33
Table 3-8. Nominal Maximum Aggregate Size by Application (Source: AAT, 2011)	3-34
Table 3-9. High-Temperature Grade Adjustments by Traffic Level and Speed (Source: AAT, 2011)	3-34
Table 3-10. N_{design} at Specific Design Traffic Levels (Source: AAT, 2011)	3-35
Table 3-11. VMA Targets by Nominal Maximum Aggregate Size (Source: AAT, 2011)	3-36
Table 3-12. Applications for Hydraulic Cements (Source: modified from Kosmatka and Wilson, 2011).....	3-37
Table 3-13. Summary of Effects of SCMs on the Fresh and Hardened Properties of Concrete	3-47
Table 3-14. Concrete Admixtures for Concrete by Classification (Source: Kosmatka and Wilson, 2011)	3-49
Table 3-15. Recommended Air Contents for Concrete Resistant to Freezing and Thawing (Source: ACI, 2023)....	3-69
Table 3-16. Requirements to Protect against Damage to Concrete by Sulfate Attack from External Sources of Sulfate (Source: ACI, 2023).....	3-70
Table 3-17. Maximum w -cm and Minimum Design Strengths for Various Exposure Conditions (Source: Kosmatka and Wilson, 2011).....	3-72
Table 3-18. Types of Cement and Minimum w -cm Requirements for Concrete Exposed to Sulfates in Soil and Water (Modified from Kosmatka and Wilson 2011)	3-73
Table 3-19. Recommended Cementitious Materials for Concrete Exposed to Deicing Chemicals (Source: Kosmatka, Kerkhoff, and Panarese, 2002, adapted from ACI 318)	3-80
Table 3-20. Suggested Laboratory Testing Plan for Trial Batches (Source: Taylor et al., 2006)	3-82
Table 3-21. Suggested Field Trial Batch Testing Plan (Source: Taylor et al., 2006)	3-83
Table 4-1. AASHTO Road Test Climatic Conditions (Source: HRB, 1961)	4-2
Table 4-2. AASHTO Road Test Traffic Loads (Source: HRB, 1961).....	4-2
Table 4-3. AASHTO Road Test Asphalt Pavement Details (Source: HRB, 1961)	4-3
Table 4-4. AASHTO Road Test Concrete Pavement Details (Source: HRB, 1961).....	4-3
Table 4-5. Traffic Data Requirements by Input Level (Source: FHWA, 2010)	4-14
Table 4-6. Estimating New Asphalt Layer Parameters (Source: FHWA, 2010)	4-19
Table 4-7. Estimating Concrete Layer Parameters (Source: FHWA, 2010)	4-21
Table 4-8. Estimating Stabilized Layer Parameters (Source: FHWA, 2010).....	4-22
Table 4-9. Characterizing Unbound Layer and Subgrade Inputs (Source: FHWA, 2010)	4-24
Table 4-10. Recommended Reliability Levels by Functional Class (Source: AASHTO, 2020)	4-29
Table 4-11. Recommended Minimum Sample Size (Source: modified from AASHTO, 2010).....	4-31

Table 4-12. Pavement Evaluation by Hierarchical Level (Source: modified from ARA, 2004)	4-40
Table 4-13. Material Characteristics of Permeable Bases (Source: FHWA, 2002).....	4-43
Table 4-14. Frost Susceptibility by Soil Classification (Source: WSDOT, 1999)	4-48
Table 5-1. Effects of Physical Attributes on Dynamic Attributes	5-2
Table 5-2. Effects of Dynamic Attributes on the Highway Users	5-2
Table 5-3. Summary of Roughness Measurement Equipment (Source: Smith et al. 1997; Grogg and Smith 2002)...	5-8
Table 5-4. Construction Considerations for Macrotexture in Asphalt-Surfaced Pavements	5-25
Table 5-5. Construction Considerations for Macrotexture in Concrete Pavements (Source: Hall, Smith, and Littleton, 2009).....	5-26
Table 5-6. Assessment of Hydroplaning Potential Based on Vehicle Speed and Water Film Thickness.....	5-36
Table 5-7. Common Activity Noise Levels (modified from FHWA 1980, Rasmussen et al., 2007).....	5-40
Table 6-1. Recent Trends in Real Interest Treasury (Discount) Rates (Source: OMB, 2022).....	6-7
Table 7-1. Subgrade Soil Conditions for Potential Applications of Geosynthetics (Source: modified from Koerner, 1998; Holtz, Barry, and Berg, 1998)	7-11
Table 7-2. Recommended Material Specifications for ATB (Source: NHI, 2005)	7-16
Table 7-3. Recommended Material Requirements for CTB and LCB (Source: NHI, 2005).....	7-17
Table 7-4. Recommended Tack Coat Rates (Source: FHWA, 2016b)	7-26
Table 7-5. Asphalt Pavement Smoothness Checklist (Source: Wolters and Grogg, 2002).....	7-45
Table 7-6. Quality Control Tests for Concrete Pavements (Source: Taylor et al., 2019).....	7-67
Table 7-7. Concrete Pavement Smoothness Checklist (Source: Grogg and Smith, 2002).....	7-70
Table 8-1. Pavement Distresses (Source: after Miller and Bellinger, 2014).....	8-3
Table 8-2. Pavement Distresses Identified for PCI (Source: ASTM, 2023)	8-4
Table 8-3. Advantages and Disadvantages of Manual Surveys (Source: AASHTO/AGC/ARTBA, 2006)	8-6
Table 8-4. Advantages and Disadvantages of Automated Surveys (Source: AASHTO/AGC/ARTBA, 2006)	8-7
Table 9-1. Summary of Deflection Testing Recommendations (Source: Pierce et al., 2011)	9-6
Table 9-2. GPR Accuracy by Pavement Type (Source: Maser, 1996) (Reprinted with permission from ASCE).....	9-9
Table 9-3. GPR Testing Summary	9-10
Table 9-4. UPV Testing Summary	9-11
Table 9-5. Impact–Echo Testing Summary	9-13
Table 9-6. SASW Testing Summary.....	9-14
Table 9-7. PSPA Testing Summary	9-15
Table 9-8. Pachometer Testing Summary	9-18
Table 9-9. Magnetic Pulse Induction Gauge Testing Summary.....	9-19
Table 9-10. Available Backcalculation Programs (Source: modified from Pierce et al., 2011)	9-20
Table 9-11. Addressing Specific Conditions in Pavement Backcalculation Analysis (Source: Pierce et al., 2011)....	9-21
Table 9-12. Typical AREA Values	9-26
Table 10-1. Crack Sealing versus Crack Filling (Source: NHI, 2007)	10-8
Table 10-2. Key Characteristics of Crack Sealing or Crack Filling.....	10-9
Table 10-3. Guidelines for Crack Sealing or Crack Filling (Source: Smith and Romine, 1999).....	10-10

Table 10-4. Key Characteristics of Fog Seals/Rejuvenators	10-15
Table 10-5. Fog Seals/Rejuvenators Design Features (Source: NHI, 2007)	10-15
Table 10-6. Key Characteristics of Slurry Seals/Microsurfacing	10-17
Table 10-7. Key Characteristics of Chip Seals	10-20
Table 10-8. Key Characteristics of Thin Asphalt Overlays	10-24
Table 10-9. Key Characteristics of Ultra-Thin Bonded Wearing Course	10-26
Table 10-10. Key Characteristics of Hot In-Place Recycling	10-29
Table 10-11. Key Characteristics of Cold In-Place Recycling	10-33
Table 10-12. CIR Equipment Summary (Source: NHI, 2007)	10-34
Table 10-13. Key Characteristics of Crack Sealing and Joint Resealing	10-35
Table 10-14. Key Characteristics of Diamond Grinding	10-37
Table 10-15. Key Characteristics of Load Transfer Restoration	10-39
Table 10-16. Key Characteristics of Slab Stabilization	10-44
Table 10-17. Key Characteristics of Concrete Pavement Patching	10-47
Table 10-18. Examples of High-Early-Strength Mix Designs and Approximate Opening Times (Source: modified from ACPA, 1994; Jones, 1988; Whiting et al., 1994)	10-49
Table 10-19. Key Characteristics of Drainage Preservation	10-58
Table 11-1. Typical Maximum Joint Spacing for Unbonded Concrete Overlay of Concrete Pavement (Source: Harrington et al., 2008)	11-25
Table 11-2. Example Candidate Repair and Preventive Methods for Distresses in Asphalt Pavements (Source: modified from Hicks, Seeds, and Peshkin, 2000)	11-42
Table 11-3. Candidate Repair and Preventive Methods for Distresses in Concrete Pavements (Source: modified from ACPA 1997 and Smith et al. 2022)	11-43
Table 11-4. Example Worksheet of a Selection Process Incorporating Multiple Selected Decision Factors and Assigned Weightings	11-49
Table 12-1. Strategic-, Network-, and Project-Level Decisions (Source: AASHTO, 2012)	12-2
Table 13-1. The Four Certification Levels within Greenroads™ (Source: STC, 2019)	13-15

Chapter 1

INTRODUCTION

1.1. General

Transportation agencies are responsible for the design, construction, maintenance, and management of highway pavements. Though pavement engineers are faced with a number of challenges, a primary challenge is that of change. The clearest example of this change is the approach to pavement analysis described in the *Mechanistic-Empirical Pavement Design Guide—A Manual of Practice* (hereafter referred to as AASHTO MEPDG) (AASHTO, 2020). Over a period of approximately 10 years in the early 2000s, the fundamental approach to pavement design changed from a procedure that was modeled from the observed performance at test tracks constructed in the 1950s to one based on modeling the performance of pavement structures based on axle load spectra, climate, and intrinsic material properties. However, it was not just design procedures that changed. Construction practices also changed, with the emphasis shifting to accelerated construction, the use of sustainable materials, and the provision of safer and quieter pavement surfaces. In pavement maintenance and management, the leading edge of this change consists of a more proactive approach to managing a pavement network and the consideration of pavements as one important element of a system of transportation assets that must be managed. This proactive approach to managing assets involves integrating pavement investment decisions with other agency needs for better and more fiscally responsible and transparent decision making.

The focus of this Pavement Guide is on documenting knowledge on a broad range of pavement engineering-related topics. The information contained in the Pavement Handbook cites the most relevant AASHTO publications as well as relevant documents published by the National Cooperative Highway Research Program (NCHRP) and the Federal Highway Administration (FHWA).

The Pavement Guide covers the following topics:

1. **Introduction**—Overview of the document.
2. **Pavement Types**—Brief discussion and overview of asphalt, concrete, composite, and gravel pavements.
3. **Pavement Materials**—Discussion of the various materials used in pavement construction, including soil, aggregate, asphalt binders and modifiers, hydraulic cement binders and modifiers, and asphalt mix design and selection, as well as hydraulic cement concrete mix design and selection.
4. **Pavement Structural Design**—Discussion of purpose and fundamental concepts of pavement design including a history of AASHTO pavement design procedures and mechanistic-empirical pavement design.