

Guide Specifications for Design of

# FRP

**PEDESTRIAN BRIDGES** First Edition • 2008



**American Association of State Highway  
and Transportation Officials**

# TABLE OF CONTENTS

## SPECIFICATIONS

### 1—INTRODUCTION

1.1—GENERAL .....	1-1
-------------------	-----

### 2—DESIGN LOADS

2.1—LIVE LOADS .....	2-1
----------------------	-----

2.1.1—Pedestrian Live Load .....	2-1
----------------------------------	-----

2.1.2—Vehicle Load .....	2-1
--------------------------	-----

2.2—WIND LOADS .....	2-1
----------------------	-----

2.3—COMBINATION OF LOADS .....	2-1
--------------------------------	-----

### 3—DESIGN DETAILS

3.1—DEFLECTION .....	3-1
----------------------	-----

3.2—VIBRATIONS .....	3-1
----------------------	-----

3.3—ALLOWABLE STRESSES .....	3-1
------------------------------	-----

3.3.1—Allowable Stress Limitations .....	3-1
--	-----

3.3.2—Fatigue Provisions .....	3-1
--------------------------------	-----

3.4—MINIMUM THICKNESS OF FRP .....	3-1
------------------------------------	-----

3.5—CONNECTIONS .....	3-1
-----------------------	-----

3.6—HALF-THROUGH TRUSS SPANS .....	3-1
------------------------------------	-----

3.6.1—Lateral Force .....	3-1
---------------------------	-----

3.6.2—Top Chords .....	3-2
------------------------	-----

3.6.3—Sustained Snow Loads .....	3-2
----------------------------------	-----

## COMMENTARY

### C1—INTRODUCTION

C1.1—GENERAL .....	C-1
--------------------	-----

### C2—DESIGN LOADS .....

C2.1—LIVE LOADS .....	C-1
-----------------------	-----

C2.1.1—Pedestrian Live Load .....	C-1
-----------------------------------	-----

C2.1.2—Vehicle Load .....	C-1
---------------------------	-----

C2.2—WIND LOADS .....	C-1
-----------------------	-----

C2.3—COMBINATION OF LOADS .....	C-1
---------------------------------	-----

### C3—DESIGN DETAILS .....

C3.1—DEFLECTION .....	C-2
-----------------------	-----

C3.2—VIBRATIONS .....	C-2
-----------------------	-----

C3.3—ALLOWABLE STRESSES .....	C-3
-------------------------------	-----

C3.3.2—Fatigue Provisions .....	C-3
---------------------------------	-----

C3.4—MINIMUM THICKNESS OF FRP .....	C-3
-------------------------------------	-----

C3.5—CONNECTIONS .....	C-3
------------------------	-----

C3.6—HALF-THROUGH TRUSS SPANS .....	C-3
-------------------------------------	-----

C3.6.1—Lateral Force .....	C-3
----------------------------	-----

C3.6.2—Top Chords .....	C-3
-------------------------	-----

C3.6.3—Sustained Snow Loads .....	C-3
-----------------------------------	-----

REFERENCES .....	R-1
------------------	-----

## SECTION 1

# INTRODUCTION

### 1.1—GENERAL

These Guide Specifications shall apply to fiber reinforced polymer (FRP) composite bridges intended to carry primarily pedestrian and/or bicycle traffic. Unless amended herein, the existing provisions of the AASHTO *Standard Specifications for Highway Bridges*, 17th Edition, shall apply when using these Guide Specifications, in conjunction with the guidelines in the references. (See References.)



American Association of State  
Highway and Transportation Officials  
444 North Capitol Street, NW, Suite 249  
Washington, DC 20001  
[www.transportation.org](http://www.transportation.org)

Publication code: GSDFPB-1-UL  
ISBN: 978-1-56051-395-7