

AASHTO LRFD
Movable

Highway Bridge
Design Specifications

2nd Edition
2007



American Association of State
Highway and Transportation
Officials

FOREWORD

The first broadly recognized national standard for the design and construction of bridges in the United States was published in 1931 by the American Association of State Highway Officials (AASHO), the predecessor to AASHTO. With the advent of the automobile and the establishment of highway departments in all of the American states dating back to just before the turn of the century, the design, construction, and maintenance of most U.S. bridges was the responsibility of these departments and, more specifically, the chief bridge engineer within each department. It was natural, therefore, that these engineers, acting collectively as the AASHTO Highway Subcommittee on Bridges and Structures, would become the author and guardian of this first bridge standard.

This first publication was entitled *Standard Specifications for Highway Bridges and Incidental Structures*. It quickly became the *de facto* national standard and, as such, was adopted and used by not only the state highway departments but also other bridge-owning authorities and agencies in the United States and abroad. Rather early on, the last three words of the original title were dropped and it has been reissued in consecutive editions at approximately four-year intervals ever since as *Standard Specifications for Highway Bridges*, with the final 17th edition appearing in 2002.

The body of knowledge related to the design of highway bridges has grown enormously since 1931 and continues to do so. Theory and practice have evolved greatly, reflecting advances through research in understanding the properties of materials, in improved materials, in more rational and accurate analysis of structural behavior, in the advent of computers and rapidly advancing computer technology, in the study of external events representing particular hazards to bridges such as seismic events and stream scour, and in many other areas. The pace of advances in these areas has, if anything, stepped up in recent years. To accommodate this growth in bridge engineering knowledge, the Subcommittee on Bridges and Structures has been granted authority under AASHTO's governing documents to approve and issue Bridge Interims each year, not only with respect to the Standard Specifications but also to incrementally modify and enhance the twenty-odd additional documents on bridges and structures engineering that are under its guidance and sponsorship.

In 1986, the Subcommittee submitted a request to the AASHTO Standing Committee on Research to undertake an assessment of U.S. bridge design specifications, to review foreign design specifications and codes, to consider design philosophies alternative to those underlying the Standard Specifications, and to render recommendations based on these investigations. This work was accomplished under the National Cooperative Highway Research Program (NCHRP), an applied research program directed by the AASHTO Standing Committee on Research and administered on behalf of AASHTO by the Transportation Research Board (TRB). The work was completed in 1987, and, as might be expected with a standard incrementally adjusted over the years, the Standard Specifications were judged to include discernible gaps, inconsistencies, and even some conflicts. Beyond this, the specification did not reflect or incorporate the most recently developing design philosophy, load-and-resistance factor design (LRFD), a philosophy which has been gaining ground in other areas of structural engineering and in other parts of the world such as Canada and Europe.

From its inception until the early 1970s, the sole design philosophy embedded within the Standard Specifications was one known as working stress design (WSD). WSD establishes allowable stresses as a fraction or percentage of a given material's load-carrying capacity, and requires that calculated design stresses not exceed those allowable stresses. Beginning in the early 1970s, WSD began to be adjusted to reflect the variable predictability of certain load types, such as vehicular loads and wind forces, through adjusting design factors, a design philosophy referred to as load factor design (LFD). Both WSD and LFD are reflected in the current edition of the Standard Specifications.

A further philosophical extension results from considering the variability in the properties of structural elements, in similar fashion to load variabilities. While considered to a limited extent in LFD, the design philosophy of load-and-resistance factor design (LRFD) takes variability in the behavior of structural elements into account in an explicit manner. LRFD relies on extensive use of statistical methods, but sets forth the results in a manner readily usable by bridge designers and analysts.

With the advent of these specifications, bridge engineers had a choice of two standards to guide their designs, the long-standing AASHTO *Standard Specifications for Highway Bridges*, and the alternative, newly adopted *AASHTO LRFD Bridge Design Specifications*, and its companions, *AASHTO LRFD Bridge Construction Specifications* and *AASHTO LRFD Movable Highway Bridge Design Specifications*. Subsequently, the Federal Highway Administration (FHWA) and the states have established a goal that LRFD standards be incorporated in all new bridge designs after 2007.

Interim Specifications are usually published in the middle of the calendar year, and a revised edition of this book is generally published every four years. The Interim Specifications have the same status as AASHTO standards, but are tentative revisions approved by at least two-thirds of the Subcommittee. These revisions are voted on by the AASHTO member departments prior to the publication of each new edition of this book and, if approved by at least two-thirds of the

members, they are included in the new edition as standards of the Association. AASHTO members are the 50 State Highway or Transportation Departments, the District of Columbia, and Puerto Rico. Each member has one vote. The U.S. Department of Transportation is a nonvoting member.

Annual Interim Specifications are generally used by the States after their adoption by the Subcommittee. Orders for these annual Interim Specifications may be placed by visiting our web site, bookstore.transportation.org; calling the AASHTO Publication Sales Office toll free (within the U.S. and Canada), 1-800-231-3475; or mailing to P.O. Box 96716, Washington, DC 20906-6716. A free copy of the current publication catalog can be downloaded from our website or requested from the Publications Sales Office.

Attention is also directed to the following publications prepared and published by the Subcommittee on Bridges and Structures:

AASHTO Guide for Commonly Recognized (CoRe) Structural Elements. 1998.

AASHTO Guide Specifications for Horizontally Curved Steel Girder Highway Bridges with Design Examples for I-Girder and Box-Girder Bridges. 2003.

AASHTO Guide Specifications—Thermal Effects in Concrete Bridge Superstructures. 1989.

AASHTO LRFD Bridge Construction. 2004.

AASHTO LRFD Bridge Design Specifications. 2004.

Bridge Data Exchange (BDX) Technical Data Guide. 1995.

Bridge Welding Code: AASHTO/AWS-D1.5M/D1.5: 2002, an American National Standard. 2002.

Construction Handbook for Bridge Temporary Works. 1995.

Guide Design Specifications for Bridge Temporary Works. 1995.

Guide for Painting Steel Structures. 1997.

Guide Manual for Condition Evaluation and Load and Resistance Factor Rating (LRFR) of Highway Bridges. 2003.

Guide Specifications and Commentary for Vessel Collision Design of Highway Bridges. 1991.

Guide Specifications for Alternate Load Factor Design Procedures for Steel Beam Bridges Using Braced Compact Sections. 1991.

Guide Specifications for Aluminum Highway Bridges. 1991.

Guide Specifications for Bridge Railings. 1989.

Guide Specifications for Design and Construction of Segmental Concrete Bridges. 1999.

Guide Specifications for Design of Pedestrian Bridges. 1997.

Guide Specifications for Fatigue Evaluation of Existing Steel Bridges. 1990.

Guide Specifications for Highway Bridge Fabrication with HPS070W Steel. 2000.

Guide Specifications for Seismic Isolation Design. 1999.

Guide Specifications for Strength Design of Truss Bridges (Load Factor Design). 1986.

Guide Specifications for Strength Evaluation of Existing Steel and Concrete Bridges. 1989.

Guide Specifications for Structural Design of Sound Barriers. 1989.

Guide Specifications for the Design of Stress-Laminated Wood Decks. 1991.

Guidelines for Bridge Management Systems. 1993.

Manual for Condition Evaluation of Bridges. 2000.

Movable Bridge Inspection, Evaluation and Maintenance Manual. 1998.

Standard Specifications for Movable Highway Bridges. 1988.

Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals. 2001.

Additional bridges and structures publications prepared and published by other AASHTO committees and task forces are as follows:

Guide Specifications for Cathodic Protection of Concrete Bridge Decks. 1994.

Guide Specifications for Polymer Concrete Bridge Deck Overlays. 1995.

Guide Specifications for Shotcrete Repair of Highway Bridges. 1998.

Inspector's Guide for Shotcrete Repair of Bridges. 1999.

Manual for Corrosion Protection of Concrete Components in Bridges. 1992.

Two Parts: Guide Specifications for Concrete Overlay Pavements and Bridge Decks. 1990.

AASHTO Maintenance Manual: The Maintenance and Management of Roadways and Bridges. 1999.

The following bridges and structures titles are the result of the AASHTO–NSBA Steel Bridge Collaboration and are available for free download from the AASHTO web site, bookstore.transportation.org:

Design Drawing Presentation Guidelines. 2003.

Guidelines for Design Constructability. 2003.

Guide Specification for Coating Systems with Inorganic Zinc-Rich Primer. 2003.

Shop Detail Drawing Presentation Guidelines. 2003.

Shop Detail Drawing Review/Approval Guidelines. 2003.

Steel Bridge Bearing Design and Detailing Guidelines. 2004.

Steel Bridge Fabrication Guide Specification. 2003.

Steel Bridge Fabrication QC/QA Guide Specification. 2003.

The following have served as chairmen of the Subcommittee on Bridges and Structures since its inception in 1921: Messrs. E. F. Kelley, who pioneered the work of the Subcommittee; Albin L. Gemeny; R. B. McMinn; Raymond Archiband; G. S. Paxson; E. M. Johnson; Ward Goodman; Charles Matlock; Joseph S. Jones; Sidney Poleynard; Jack Freidenrich; Henry W. Derthick; Robert C. Cassano; Clellon Loveall; James E. Siebels; David Pope; Tom Lulay; and Malcolm T. Kerley. The Subcommittee expresses its sincere appreciation of the work of these men and of those active members of the past, whose names, because of retirement, are no longer on the roll.

The Subcommittee would also like to thank Mr. John M. Kulicki, Ph.D., and his associates at Modjeski and Masters for their valuable assistance in the preparation of the LRFD Specifications.

Suggestions for the improvement of the LRFD Specifications are welcomed, just as they were for the Standard Specifications before them. They should be sent to the Chairman, Subcommittee on Bridges and Structures, AASHTO, 444 North Capitol Street, N.W., Suite 249, Washington, DC 20001. Inquiries as to intent or application of the specifications should be sent to the same address.

PREFACE AND ABBREVIATED TABLE OF CONTENTS

The *AASHTO LRFD Movable Highway Bridge Design Specifications*, 2nd Edition contains the following 8 sections and an appendix:

1. General Provisions
 2. Structural Design
 3. Seismic Design
 4. Vessel Collision Considerations
 5. Mechanical Design Loads and Power Requirements
 6. Mechanical Design
 7. Hydraulic Design
 8. Electrical Design
- Appendix

Detailed Tables of Contents precede each section. References follow each section, listed alphabetically by author.

Figures, tables, and equations are denoted by their home article number and an extension, for example 1.2.3.4.5-1, but when they are referenced in their home article or its commentary, they are identified only by the extension. For example, in Article 1.2.3.4.5, Eq. 1.2.3.4.5-2 would simply be called “Eq. 2.” When this equation is referenced anywhere else other than its home article, it is identified by its whole nomenclature; in other words, “Eq. 1.2.3.4.5-2.” The same convention applies to figures and tables.

Please note that the AASHTO materials standards (starting with M, R, or T) cited throughout the LRFD Specifications can be found in *Standard Specifications for Transportation Materials and Methods of Sampling and Testing*, adopted by the AASHTO Highway Subcommittee on Materials. The Materials standards are also available in downloadable form on the AASHTO Web site in the Bookstore. Unless otherwise indicated, these citations refer to the current 26th edition.

Please note that the 2nd Edition of the *AASHTO LRFD Movable Highway Bridge Design Specifications* has been completely converted to customary U.S. units.

CHANGED AND DELETED ARTICLES, 2007

SUMMARY OF AFFECTED SECTIONS

Due mainly to the conversion from SI to customary U.S. units, the revisions to the *AASHTO LRFD Movable Highway Bridge Design Specifications*, 2nd Edition affect all sections.

SECTION 1 REVISIONS

Changed Articles

The following Articles in Section 1 contain changes or additions to the specifications, the commentary, or both:

1.3.2.1	1.4.4.7	1.5.2	1.6	References
1.4.4.6.1	1.5.1	1.5.3	1.6.2	

Deleted Articles

No Articles were deleted from Section 1.

SECTION 2 REVISIONS

Changed Articles

The following Articles in Section 2 contain changes or additions to the specifications, the commentary, or both:

2.1.1	2.4.1.3.3	2.5.1.1.3	2.5.1.2.6	References
2.3	2.4.1.5	2.5.1.2.4		

Deleted Articles

No Articles were deleted from Section 2.

SECTION 3 REVISIONS

Changed Articles

The following Article in Section 3 contains changes or additions:

References

Deleted Articles

No Articles were deleted from Section 3.

SECTION 4 REVISIONS

Changed Articles

The following Article in Section 4 contains changes or additions:

References

Deleted Articles

No Articles were deleted from Section 4.

SECTION 5 REVISIONS

Changed Articles

The following Articles in Section 5 contain changes or additions to the specifications, the commentary, or both:

5.3	5.4.3	5.5.2	5.7.2.1	5.8.3
5.4.1	5.4.4	5.6.2	5.8.2	References
5.4.2	5.5.1	5.6.4		

Deleted Articles

No Articles were deleted from Section 5.

SECTION 6 REVISIONS

Changed Articles

The following Articles in Section 6 contain changes or additions to the specifications, the commentary, or both:

6.2	6.7.2.2	6.7.7.1.1	6.7.13.5	6.8.3.3.1
6.3.1	6.7.2.3	6.7.7.1.2	6.7.15	6.8.3.3.4
6.4.2	6.7.3.2	6.7.7.1.3	6.7.16.3	6.8.3.3.6
6.4.3	6.7.3.3.1	6.7.7.1.4a	6.7.16.5	6.8.3.3.7
6.6.1	6.7.3.3.2	6.7.7.1.4b	6.8.1.2.2	6.8.3.4.1
6.6.2.3	6.7.4.1	6.7.7.2.1	6.8.1.3.1	6.8.3.5.3
6.6.2.4	6.7.4.2	6.7.7.2.2	6.8.1.4	6.8.3.7.2
6.6.2.5	6.7.4.3	6.7.7.2.3	6.8.1.5.2	6.8.3.8
6.6.2.6	6.7.5.1	6.7.7.2.4	6.8.2.2	6.9.1
6.6.3.2	6.7.5.2.1	6.7.8	6.8.2.4	6.10.3.1
6.6.4.2	6.7.5.2.2	6.7.10.1	6.8.2.8	6.10.4.1
6.6.4.3	6.7.5.2.3	6.7.11	6.8.2.9	References
6.6.4.4	6.7.5.2.4	6.7.13.1	6.8.3.1.3	

Deleted Articles

No Articles were deleted from Section 6.

SECTION 7 REVISIONS

Changed Articles

The following Articles in Section 7 contain changes or additions to the specifications, the commentary, or both:

7.1.3	7.5.2.2	7.5.9.1	7.6.2	7.6.9.2
7.1.4	7.5.5.1	7.5.10	7.6.4	7.9.1.1
7.3	7.5.5.2	7.5.12.1	7.6.8	7.9.1.2
7.5.1	7.5.6.3	7.5.12.2	7.6.9.1	References
7.5.2.1	7.5.7	7.5.12.3		

Deleted Articles

No Articles were deleted from Section 7.

SECTION 8 REVISIONS

Changed Articles

The following Articles in Section 8 contain changes or additions to the specifications, the commentary, or both:

8.4.5.1	8.8	8.9.7.1	8.9.7.5	8.10.1.5
8.4.6.3	8.9.1	8.9.7.2	8.10.1	8.11
8.5.2.2.1	8.9.6	8.9.7.3	8.10.1.1	8.12.3
8.6.5	8.9.7	8.9.7.4	8.10.1.2	References

Deleted Articles

No Articles were deleted from Section 8.

APPENDIX A

Changed Articles

SI versions of equations, tables, and figures are provided in this new Appendix. The specifications, the commentary, or both in the following Articles are affected:

2.5.1.1.3	6.6.3.2	6.7.4.3	6.7.7.1.4a	6.8.3.3.1
5.4.1	6.6.4.2	6.7.5.2.1	6.7.7.1.4b	6.8.3.3.4
5.8.2	6.6.4.3	6.7.5.2.2	6.7.7.2.2	6.8.3.3.6
6.6.1	6.6.4.4	6.7.5.2.3	6.7.8	8.9.1
6.6.2.5	6.7.3.2	6.7.5.2.4	6.7.10.1	8.9.7.3
6.6.2.6	6.7.4.2	6.7.7.1.2	6.7.15	8.9.7.4

AASHTO Publications Staff
March 2007

SECTION 1: GENERAL PROVISIONS

TABLE OF CONTENTS

1.1 GENERAL CRITERIA	1-1
1.2 ABBREVIATIONS, DEFINITIONS, AND COMPONENT CLASSIFICATIONS	1-2
1.3 DESIGN PHILOSOPHY	1-5
1.3.1 General.....	1-5
1.3.2 Limit States.....	1-6
1.3.2.1 General	1-6
1.3.2.2 Service Limit State	1-7
1.3.2.3 Fatigue and Fracture Limit State	1-7
1.3.2.4 Overload Limit State.....	1-8
1.3.2.5 Strength Limit State.....	1-8
1.3.2.6 Extreme Event Limit States	1-8
1.3.3 Factors for Ductility, Redundancy, and Operation	1-8
1.4 DESIGN OF BRIDGE SYSTEMS	1-9
1.4.1 Structural Design	1-9
1.4.2 Machinery Design.....	1-9
1.4.3 Electrical Design.....	1-9
1.4.4 Safety Design.....	1-10
1.4.4.1 General	1-10
1.4.4.2 Clearances.....	1-10
1.4.4.3 Protection From Waterway Traffic.....	1-10
1.4.4.4 Traffic Gates and Barriers.....	1-10
1.4.4.5 Pedestrian Gates	1-11
1.4.4.6 Warning Lights, Alarms, and Traffic Signals	1-11
1.4.4.6.1 Traffic Signals and Bells	1-11
1.4.4.6.2 Audible Navigation Signals, Navigation Lights, Aviation Lights	1-12
1.4.4.7 Stairways and Walkways.....	1-12
1.4.4.8 Rotating and Moving Machinery.....	1-12
1.5 BALANCE AND COUNTERWEIGHTS	1-13
1.5.1 General.....	1-13
1.5.2 Counterweight Details	1-14
1.5.3 Counterweight Concrete	1-15
1.5.4 Counterweight Pits and Pit Pumps.....	1-15
1.5.5 Diversion of Drainage.....	1-15
1.6 MACHINERY AND OPERATOR’S HOUSES.....	1-15
1.6.1 Machinery House.....	1-16
1.6.2 Operator’s House and Machinery House Access Clearance.....	1-16
1.7 SPECIAL REQUIREMENTS FOR CONTRACTOR-SUPPLIED INFORMATION AND EQUIPMENT	1-17
1.7.1 Drawings and Diagrams.....	1-17
1.7.1.1 Drawings.....	1-17
1.7.1.2 Wiring Diagrams, Operator’s Instructions, Electrical and Mechanical Data Booklets, and Lubrication Charts	1-17

1.7.2 Tools, Maintenance, and Training.....1-18

1.8 DEFECTS AND WARRANTEES.....1-19

1.9 ACCESS FOR MAINTENANCE.....1-19

REFERENCES.....1-20

SECTION 2: STRUCTURAL DESIGN

TABLE OF CONTENTS

2.1 SCOPE.....	2-1
2.1.1 Specifications.....	2-1
2.1.2 Bridge Types.....	2-1
2.1.2.1 General	2-1
2.1.2.2 Contract Documents	2-1
2.2 DEFINITIONS.....	2-1
2.3 NOTATION.....	2-3
2.4 LOADS, LOAD FACTORS, AND COMBINATIONS	2-3
2.4.1 General Provisions and Limit States.....	2-3
2.4.1.1 Live Load and Dead Load	2-3
2.4.1.2 Dynamic Load Allowance	2-4
2.4.1.2.1 Live Load Dynamic Load Allowance (<i>IM</i>)	2-4
2.4.1.2.2 Dead Load Dynamic Load Allowance (<i>DAD</i>).....	2-4
2.4.1.2.3 Force Effects Due to Operation of Machinery (<i>DAM</i>)	2-4
2.4.1.2.4 End Floorbeams.....	2-4
2.4.1.3.1 General	2-4
2.4.1.3.2 Movable Span Closed.....	2-5
2.4.1.3.3 Movable Span Open	2-5
2.4.1.4 Seismic Loads.....	2-6
2.4.1.5 Fatigue Limit State	2-6
2.4.1.6 Settlement	2-7
2.4.1.7 Vessel Collision and Pier Protection.....	2-7
2.4.1.8 Hydraulic Cylinder Structural Connections.....	2-7
2.4.1.9 Strength and Rigidity of Structural Machinery Supports.....	2-7
2.4.1.10 Ice Accretion.....	2-7
2.4.2 Bridge-Type Specific Provisions	2-8
2.4.2.1 Movable Bridge Load Combinations.....	2-8
2.4.2.2 Application of Fixed Bridge Load Combinations.....	2-8
2.4.2.3 Movable Bridge-Specific Load Combinations—Strength Limit State	2-8
2.5 MOVABLE BRIDGE DESIGN FEATURES AND REQUIREMENTS	2-10
2.5.1 Movable Bridge Specific Design Features and Requirements.....	2-10
2.5.1.1 Bascule Span Bridges	2-10
2.5.1.1.1 Types	2-10
2.5.1.1.2 Support Conditions	2-10
2.5.1.1.3 Segmental and Track Girders	2-10
2.5.1.1.4 Floors and Floor Fastenings.....	2-12
2.5.1.2 Swing Span Bridges.....	2-12
2.5.1.2.1 Center Bearing.....	2-12
2.5.1.2.2 Rim Bearing.....	2-12
2.5.1.2.3 Combined Bearing.....	2-12
2.5.1.2.4 Rim Girders	2-12
2.5.1.2.5 Shear Over Center	2-13

2.5.1.2.6 Reaction Due to Temperature	2-13
2.5.1.3 Vertical Lift Bridges	2-13
2.5.1.3.1 Tower and Tower Spans	2-13
2.5.1.3.2 Anchorage for Cantilevered Floors.....	2-13
2.5.1.3.3 Wind on Vertical Lift Spans	2-13
REFERENCES.....	2-14

SECTION 3: SEISMIC DESIGN

TABLE OF CONTENTS

3.1 SCOPE.....	3-1
3.2 DEFINITIONS.....	3-1
3.3 PERFORMANCE CRITERIA.....	3-1
3.4 SEISMIC LOADS, LIMIT STATES, AND RESPONSE MODIFICATION FACTORS	3-2
3.4.1 Design Loads	3-2
3.4.2 Limit States.....	3-3
3.4.3 Application	3-3
3.4.3.1 Critical and Essential Bridges.....	3-3
3.4.3.2 Other Bridges.....	3-3
3.4.4 Response Modification Factors.....	3-3
3.5 SEISMIC ANALYSIS	3-4
3.5.1 General.....	3-4
3.5.2 Seismic Load Distribution	3-4
3.5.2.1 Load Path.....	3-4
3.5.2.2 Trunnion Bascule Bridge.....	3-5
3.5.2.3 Rolling Leaf Bascule Bridges	3-6
3.5.2.4 Heel Trunnion Bascule Bridges.....	3-7
3.5.2.4.1 Bascule Span Response	3-7
3.5.2.4.2 Counterweight Frame Response.....	3-7
3.5.2.4.3 Tower Span Response	3-8
3.5.2.5 Vertical Lift Bridges.....	3-8
3.5.2.5.1 Lift Span Response.....	3-8
3.5.2.5.2 Lift Tower Response	3-9
3.5.2.6 Swing Bridges.....	3-10
3.6 DESIGN AND DETAILING GUIDELINES	3-11
REFERENCES	3-16
APPENDIX A3 MOVABLE BRIDGE DAMAGE DURING PAST EARTHQUAKES.....	3-17
APPENDIX B3 SEISMIC DESIGN AND EVALUATION CASE STUDIES	3-18
B3.1 TRUNNION BASCULE BRIDGES	3-18
B3.1.1 Double-Leaf Trunnion Bridge.....	3-18
B3.1.2 Ballard Bridge, Seattle, Washington.....	3-18
B3.1.3 University Bridge, Seattle, Washington.....	3-18
B3.2 ROLLING LIFT BASCULE BRIDGES.....	3-18
B3.2.1 Seismic Evaluation Case Study.....	3-18
B3.3 HEEL TRUNNION BASCULE BRIDGES.....	3-19
B3.3.1 Third Street Bascule Bridge, San Francisco, California.....	3-19
B3.3.2 Steamboat Slough Bridge, Rio Vista, California.....	3-19
B3.3.3 Badger Avenue Bridge, Los Angeles, California.....	3-19

B3.4 VERTICAL LIFT BRIDGES	3-20
B3.4.1 Badger Avenue Vertical Lift Bridge, Los Angeles, California.....	3-20
B3.4.2 Sacramento River Bridge, Rio Vista, California	3-20

SECTION 4: VESSEL COLLISION CONSIDERATIONS

TABLE OF CONTENTS

4.1 SCOPE.....	4-1
4.2 DEFINITIONS.....	4-1
4.3 PERFORMANCE CRITERIA.....	4-2
4.4 DESIGN VESSELS, LOADS, AND LIMIT STATES.....	4-2
4.5 INITIAL PLANNING	4-3
4.5.1 General.....	4-3
4.5.2 Site Selection	4-3
4.5.3 Selection of Bridge Type, Configuration, and Layout	4-3
4.5.4 Approach Spans	4-4
4.5.5 Protection Systems.....	4-4
4.6 COLLISION RISK ANALYSIS.....	4-4
4.7 VESSEL IMPACT LOADS.....	4-5
4.8 BRIDGE ANALYSIS CONSIDERATIONS.....	4-5
4.9 BRIDGE PROTECTION SYSTEMS	4-6
4.10 BRIDGE OPERATOR’S HOUSE.....	4-6
4.11 DESIGN AND DETAILING GUIDELINES	4-6
REFERENCES	4-8
APPENDIX A4 LIST OF VESSEL COLLISIONS WITH MOVABLE BRIDGES.....	4-9

SECTION 5: MECHANICAL DESIGN LOADS AND POWER REQUIREMENTS

TABLE OF CONTENTS

5.1 SCOPE.....	5-1
5.2 DEFINITIONS.....	5-1
5.3 NOTATION.....	5-1
5.4 SIZING PRIME MOVER FOR SPAN OPERATION.....	5-2
5.4.1 General.....	5-2
5.4.2 Bascule Spans.....	5-4
5.4.3 Swing Spans.....	5-4
5.4.4 Vertical Lift Spans.....	5-5
5.5 HOLDING REQUIREMENTS.....	5-5
5.5.1 Bascule Spans.....	5-6
5.5.2 Swing Spans.....	5-6
5.5.3 Vertical Lift Spans.....	5-6
5.6 SIZING BRAKES.....	5-6
5.6.1 General.....	5-6
5.6.2 Bascule Spans.....	5-7
5.6.3 Swing Spans.....	5-7
5.6.4 Vertical Lift Spans.....	5-7
5.7 MACHINERY DESIGN CRITERIA.....	5-8
5.7.1 General.....	5-8
5.7.2 Engine-Generator Drives.....	5-8
5.7.2.1 Auxiliary Drives.....	5-8
5.7.3 Braking.....	5-9
5.8 MACHINERY EFFICIENCIES AND LOSSES.....	5-10
5.8.1 General.....	5-10
5.8.2 Friction Factors.....	5-10
5.8.3 Wire Rope Bending Losses.....	5-11
5.8.4 Efficiency Factors for Gearing.....	5-11
5.8.4.1 Open Spur Gearing.....	5-11
5.8.4.2 Enclosed Reducers.....	5-11
5.8.4.2.1 Parallel Spur and Helical, or Bevel.....	5-11
5.8.4.2.2 Worm Gear.....	5-11
REFERENCES.....	5-12

SECTION 6: MECHANICAL DESIGN

TABLE OF CONTENTS

6.1 SCOPE.....	6-1
6.2 DEFINITIONS.....	6-1
6.3 NOTATION.....	6-2
6.3.1 General.....	6-2
6.4 GENERAL REQUIREMENTS	6-4
6.4.1 Machinery.....	6-4
6.4.1.1 Limit States and Resistance Factors	6-4
6.4.1.2 General	6-5
6.4.1.3 Location of Machinery	6-5
6.4.1.4 Support and Anchorage	6-5
6.4.2 Aligning and Locking of Movable Span.....	6-5
6.4.3 Elevators.....	6-6
6.5 DESIGN LOADING REQUIREMENTS	6-6
6.6 RESISTANCE OF MACHINERY PARTS.....	6-6
6.6.1 Resistance at the Service Limit State.....	6-6
6.6.2 Resistance of Components in Bearing at the Service Limit State.....	6-8
6.6.2.1 General	6-8
6.6.2.2 Bearing on Components Not Subject to Motion.....	6-8
6.6.2.3 Intermittent Motion and Slow Speeds.....	6-8
6.6.2.4 Intermediate Speeds.....	6-9
6.6.2.5 Heating and Seizing.....	6-9
6.6.2.6 Bearing on Rollers	6-10
6.6.3 Design for the Fatigue Limit State.....	6-11
6.6.3.1 General	6-11
6.6.3.2 Endurance Limit	6-11
6.6.4 Resistance of Open Spur Gearing Using Allowable Stresses	6-12
6.6.4.1 General	6-12
6.6.4.2 Spur Gear Bending Resistance at the Fatigue Limit State, S_{at}	6-13
6.6.4.3 Allowable Spur Gear Contact/ Durability/Wear Stresses at the Fatigue Limit State.....	6-13
6.6.4.4 Allowable Spur Gear Yield Stresses for Intermittent Overload.....	6-13
6.6.5 Wire Rope Allowable Stresses.....	6-14
6.7 MECHANICAL MACHINERY DESIGN	6-14
6.7.1 General.....	6-14
6.7.2 Requirements for Design with Static Stresses	6-14
6.7.2.1 General	6-14
6.7.2.2 Uniaxial Normal Stress and Shear Stress.....	6-14
6.7.2.3 Combined Stresses.....	6-15
6.7.3 General Requirements for Design with Fluctuating Stresses at the Fatigue Limit State	6-15
6.7.3.1 General	6-15
6.7.3.2 Stress Concentration Factors—Uniaxial Normal Stress and Shear	6-16
6.7.3.3 Fatigue Design.....	6-16

6.7.3.3.2 Fatigue Failure Theory.....	6-17
6.7.4 Shafts, Trunnions, Machine Elements Subjected to Cyclic Stresses.....	6-18
6.7.4.1 Shaft and Trunnion Diameter.....	6-18
6.7.4.2 Shaft Length and Deformation.....	6-19
6.7.4.3 Shaft Critical Speed	6-19
6.7.4.4 Shafts Integral with Pinions	6-20
6.7.5 Design of Open Spur Gearing.....	6-20
6.7.5.1 General.....	6-20
6.7.5.2 AGMA Spur Gear Design Equations.....	6-21
6.7.5.2.1 General.....	6-21
6.7.5.2.2 Design for the Fatigue Limit State.....	6-21
6.7.5.2.3 Surface Durability and Wear—Design Equations	6-25
6.7.5.2.4 Yield Failure at Intermittent Overload.....	6-26
6.7.6 Enclosed Speed Reducers	6-27
6.7.6.1 General.....	6-27
6.7.6.2 Parallel Spur, Helical, and Bevel Gear Reducers.....	6-27
6.7.6.3 Worm Gear Reducers.....	6-27
6.7.6.4 Planetary Gear Reducers.....	6-28
6.7.6.5 Cycloidal Speed Reducers	6-28
6.7.6.6 Mechanical Actuators	6-28
6.7.7 Bearing Design.....	6-29
6.7.7.1 Plain Bearings	6-29
6.7.7.1.1 General.....	6-29
6.7.7.1.2 Plain Bearing Design Equations	6-29
6.7.7.1.3 Lubricated Plain Bearings	6-30
6.7.7.1.4 Self-Lubricating; Low Maintenance Plain Bearings.....	6-31
6.7.7.1.4a Metallic Bearings.....	6-31
6.7.7.1.4b NonMetallic Bearings.....	6-31
6.7.7.2 Rolling Element Bearings	6-32
6.7.7.2.1 General.....	6-32
6.7.7.2.2 Rolling Element Bearing Design	6-32
6.7.7.2.3 Roller Bearings for Heavy Loads.....	6-33
6.7.7.2.4 Sizing of Large Rolling Element Bearings	6-34
6.7.8 Fits and Finishes.....	6-35
6.7.9 Hubs, Collars, and Couplings.....	6-36
6.7.9.1 Hubs.....	6-36
6.7.9.2 Collars.....	6-37
6.7.9.3 Couplings.....	6-37
6.7.10 Keys and Keyways.....	6-37
6.7.10.1 General	6-37
6.7.10.2 Capacity of Keys.....	6-39
6.7.11 Splines.....	6-39
6.7.12 Mechanical Shrink/Friction Fit Assemblies	6-39
6.7.13 Motor and Machinery Brake Design.....	6-39
6.7.13.1 General.....	6-39
6.7.13.2 Requirements for Electrically Released Motor Brakes.....	6-40

6.7.13.3 Electrically Released Machinery Brakes	6-41
6.7.13.5 Hand or Foot Released Brakes.....	6-41
6.7.14 Machinery Support Members and Anchorage	6-42
6.7.14.1 Machinery Supports.....	6-42
6.7.14.2 Anchorage.....	6-42
6.7.15 Fasteners, Turned Bolts, and Nuts	6-42
6.7.16 Miscellaneous Machinery Requirements	6-44
6.7.16.1 Safety Covers and Guards.....	6-44
6.7.16.2 Dust and Water Protection Covers.....	6-44
6.7.16.3 Drain Holes.....	6-44
6.7.16.4 Drip Pans	6-44
6.7.16.5 Compressed Air Devices	6-44
6.8 BRIDGE TYPE SPECIFIC MECHANICAL MACHINERY DESIGN.....	6-44
6.8.1 Bascule Spans	6-44
6.8.1.1 Drive Machinery	6-44
6.8.1.2 Racks and Pinions.....	6-45
6.8.1.2.1 General	6-45
6.8.1.2.2 Racks	6-45
6.8.1.3 Trunnions and Bearings.....	6-45
6.8.1.3.1 Trunnions.....	6-45
6.8.1.4 Buffers	6-46
6.8.1.5 Span and Tail Locks, Centering Devices.....	6-47
6.8.1.5.1 Locking Devices.....	6-47
6.8.1.5.2 Centering Devices.....	6-47
6.8.2 Swing Spans.....	6-47
6.8.2.1 Drive Machinery	6-47
6.8.2.2 Racks and Pinions.....	6-47
6.8.2.3 Pivot Bearing	6-48
6.8.2.4 End Lifts	6-48
6.8.2.5 Center Wedges.....	6-49
6.8.2.6 Balance Wheels	6-49
6.8.2.7 Rim Bearing Wheels.....	6-49
6.8.2.8 Tracks	6-50
6.8.2.9 Centering Devices.....	6-50
6.8.2.10 Span Locks	6-50
6.8.3 Vertical Lift Spans	6-50
6.8.3.1 Span Drive Vertical Lifts.....	6-50
6.8.3.1.1 Drive Machinery.....	6-50
6.8.3.1.2 Operating Ropes	6-51
6.8.3.1.3 Operating Drums and Deflector Sheaves.....	6-51
6.8.3.1.4 Take-Up Assemblies.....	6-51
6.8.3.2 Tower Drive Vertical Lifts	6-52
6.8.3.2.1 Drive Machinery.....	6-52
6.8.3.2.2 Ring Gears and Pinions	6-52
6.8.3.2.3 Equalizing Devices	6-52

6.8.3.3	Wire Ropes and Sockets	6-52
6.8.3.3.1	Diameter of Wire Ropes	6-52
6.8.3.3.2	Construction.....	6-53
6.8.3.3.3	Lay	6-53
6.8.3.3.4	Wire Rope Stresses	6-53
6.8.3.3.5	Short Arc of Contact	6-54
6.8.3.3.6	Wire Rope Tensile Strengths	6-54
6.8.3.4	Sheaves	6-56
6.8.3.4.1	General.....	6-56
6.8.3.4.2	Counterweight Sheaves.....	6-57
6.8.3.4.3	Sheave Trunnions and Bearings.....	6-58
6.8.3.5	Counterweights and Rope Anchorages	6-58
6.8.3.5.1	Counterweights	6-58
6.8.3.5.2	Counterweight Rope Anchorages	6-58
6.8.3.5.3	Clearance Below Counterweights.....	6-59
6.8.3.6	Buffers	6-59
6.8.3.7	Span Locks and Centering Devices.....	6-59
6.8.3.7.1	Locking Devices	6-59
6.8.3.7.2	Centering Devices.....	6-59
6.8.3.8	Span and Counterweight Guides.....	6-60
6.9	EMERGENCY DRIVES.....	6-60
6.9.1	Engines—for Driving Generators, Hydraulic Power Units, and for Span Drive	6-60
6.9.2	Manual Operation	6-62
6.9.2.1	General.....	6-62
6.9.2.2	Hand or Foot Power	6-62
6.9.2.3	Hand or Foot Brakes	6-62
6.9.2.4	Manual Operation of Span Locks and Lifts	6-62
6.10	LUBRICATION.....	6-63
6.10.1	General.....	6-63
6.10.2	Lubrication Fittings.....	6-63
6.10.3	Lubrication of Bearings.....	6-63
6.10.3.1	Plain Journal Bearings	6-63
6.10.3.2	Rolling Element Bearings	6-64
6.10.4	Lubrication of Gears	6-64
6.10.4.1	Open Spur Gearing	6-64
6.10.4.2	Enclosed Gearing	6-65
6.10.5	Lubrication of Couplings and Miscellaneous Mechanical Components	6-65
6.10.6	Lubrication of Wire Ropes.....	6-65
6.10.7	Lubrication of Wedges and Strike Plates	6-66
	REFERENCES.....	6-67
	APPENDIX A6 STRESS CONCENTRATION FACTORS	6-69
A6.1	STRESS CONCENTRATION FACTORS FOR KEYWAYS AND THREADS.....	6-69
A6.2	CHARTS OF THEORETICAL STRESS CONCENTRATION FACTORS.....	6-70

SECTION 7: HYDRAULIC DESIGN

TABLE OF CONTENTS

7.1 GENERAL REQUIREMENTS	7-1
7.1.1 Design Objectives	7-1
7.1.2 Contract Documents	7-1
7.1.3 Symbols	7-1
7.1.4 Related Standards	7-1
7.2 DEFINITIONS.....	7-2
7.3 NOTATION.....	7-3
7.4 DESIGN LOADING CRITERIA	7-3
7.4.1 Power Requirements for Hydraulic System Design.....	7-3
7.4.2 Machinery Design Criteria and Limit States.....	7-3
7.4.3 Hydraulic Cylinder Connections.....	7-4
7.4.4 Hydraulic System Limit States	7-4
7.4.4.1 General Requirements	7-4
7.4.4.2 Component Resistance.....	7-5
7.4.4.3 Pipe, Tubing, and Fittings.....	7-5
7.4.4.4 Hydraulic Cylinders.....	7-5
7.5 COMPONENTS	7-5
7.5.1 Hydraulic Fluid	7-5
7.5.2 Electric Motors	7-6
7.5.2.1 General	7-6
7.5.2.2 Open Loop Systems.....	7-6
7.5.2.3 Closed Loop Systems	7-6
7.5.2.4 Auxiliary Devices	7-7
7.5.3 Internal Combustion Engines.....	7-7
7.5.4 Couplings.....	7-7
7.5.5 Pumps	7-7
7.5.5.1 Main Drive System Pumps	7-7
7.5.5.2 Auxiliary Pumps	7-8
7.5.6 Control Valves.....	7-8
7.5.6.1 General	7-8
7.5.6.2 Directional and Speed Control Valves.....	7-8
7.5.6.3 Solenoid Operated Valves	7-9
7.5.6.4 Pressure Control Valves	7-9
7.5.7 Accumulators.....	7-9
7.5.8 Fluid Reservoirs.....	7-9
7.5.9 Hydraulic Power Unit Accessories	7-10
7.5.9.1 Heat Exchanger.....	7-10
7.5.9.2 Emergency Pumps	7-10
7.5.10 Filters	7-10
7.5.11 Hydraulic Motors.....	7-11
7.5.11.1 Hydraulic Motors for Span Operation	7-11
7.5.11.2 Hydraulic Motors for Auxiliary Devices	7-11

7.5.12 Hydraulic Cylinders	7-12
7.5.12.1 Cylinders for Span Operation.....	7-12
7.5.12.2 Cylinders for Auxiliary Devices	7-13
7.5.12.3 Cylinder Buckling	7-13
7.5.12.4 Cylinder Cushions.....	7-14
7.5.12.5 Cylinder Circuits	7-14
7.5.13 Hydraulic Brakes.....	7-15
7.5.14 Pressure Indicators	7-15
7.6 GENERAL DESIGN PROVISIONS	7-16
7.6.1 Safety	7-16
7.6.2 Working Pressures	7-16
7.6.3 System and Component Efficiency	7-17
7.6.4 Component Ratings.....	7-17
7.6.5 Controls.....	7-18
7.6.5.1 Closed Loop Systems.....	7-18
7.6.5.2 Open Loop Systems	7-18
7.6.5.3 Seating Pressure Control.....	7-19
7.6.6 Shock and Surge Suppression	7-19
7.6.7 Filtration and Fluid Conditioning.....	7-20
7.6.8 Temperature Control	7-20
7.6.9 Fluid Conductors.....	7-20
7.6.9.1 Maximum Flow Rates.....	7-20
7.6.9.2 Pipe and Pipe Fittings	7-21
7.6.9.3 Tubing and Tube Fittings.....	7-21
7.6.9.4 Hose Assemblies.....	7-22
7.6.9.5 Quick Disconnects	7-22
7.7 DETAILING OF HYDRAULIC SYSTEMS	7-22
7.7.1 Power Units.....	7-22
7.7.2 Plumbing.....	7-22
7.7.3 Serviceability	7-23
7.7.4 Identification and Accessibility.....	7-23
7.8 FABRICATION AND CONSTRUCTION.....	7-23
7.8.1 General.....	7-23
7.8.2 Flushing and Filling	7-23
7.8.3 Painting	7-24
7.8.4 Testing.....	7-24
7.8.4.1 General.....	7-24
7.8.4.2 Shop Tests.....	7-24
7.8.4.2.1 Power Units	7-24
7.8.4.2.2 Hydraulic Cylinders.....	7-24
7.8.4.3 Field Tests.....	7-25
7.9 MATERIALS.....	7-25
7.9.1 Hydraulic Plumbing	7-25
7.9.1.1 Pipe and Pipe Fittings	7-25

7.9.1.2 Tubing and Tube Fittings.....	7-26
7.9.1.3 Hose and Hose Fittings.....	7-26
7.9.1.4 Quick Disconnects.....	7-26
7.9.1.5 Manifolds.....	7-27
REFERENCES	7-28

SECTION 8: ELECTRICAL DESIGN

TABLE OF CONTENTS

8.1 GENERAL DESIGN REQUIREMENTS.....	8-1
8.1.1 Scope, Codes, and Standards	8-1
8.1.2 Safety	8-2
8.2 DEFINITIONS	8-2
8.3 ELECTRIC SUPPLY AND POWER DISTRIBUTION	8-2
8.3.1 Commercial Electric Service	8-2
8.3.2 Circuit Breakers	8-3
8.3.2.1 Low Voltage Circuit Breakers (600 Volts and Below).....	8-3
8.3.2.2 High Voltage Circuit Breakers (Above 600 Volts).....	8-3
8.3.3 Fuses	8-3
8.3.3.1 Fuses Rated 20 Amps and Higher.....	8-3
8.3.3.2 Fuses Rated below 20 Amps.....	8-4
8.3.4 Disconnect Switches.....	8-4
8.3.5 Transformers.....	8-4
8.3.5.1 General Purpose Transformers	8-4
8.3.5.2 Drive Isolation Transformers.....	8-4
8.3.6 High Voltage Switchgear (600 Volts and Above)	8-5
8.3.7 Surge Protection.....	8-6
8.3.8 Transfer Switches	8-6
8.3.8.1 General	8-6
8.3.8.2 Automatic Transfer Switches.....	8-6
8.3.8.3 Nonautomatic Transfer Switches.....	8-7
8.3.9 Engine Generator Sets	8-7
8.3.9.1 General	8-7
8.3.9.2 Engine Instruments and Controls.....	8-8
8.3.9.3 Generator Instruments and Controls	8-8
8.3.9.4 Supplemental Generator Loading	8-8
8.3.9.5 Ventilation	8-8
8.3.9.6 Remote Radiators.....	8-9
8.4 ELECTRICAL CONTROL SYSTEMS	8-9
8.4.1 Operating Sequence and Interlocking Requirements.....	8-9
8.4.1.1 Bascule Bridges, Single Leaf, and Double Parallel Leaf.....	8-9
8.4.1.2 Bascule Bridges, Double Opposing Leaf.....	8-10
8.4.1.3 Vertical Lift Bridges.....	8-11
8.4.1.4 Swing Spans	8-11
8.4.2 Control Logic.....	8-12
8.4.2.1 General	8-12
8.4.2.2 Relay Control Logic	8-13
8.4.2.3 Programmable Logic Controller (PLC).....	8-13
8.4.2.4 Industrial Computer Control.....	8-13
8.4.2.5 Emergency Stop.....	8-13

8.4.2.6 Normal Stop	8-14
8.4.3 Bypass Switches	8-14
8.4.4 Limit Switches	8-14
8.4.4.1 General	8-14
8.4.4.2 Lever Arm Limit Switches	8-15
8.4.4.3 Rotary Cam Limit Switches	8-15
8.4.4.5 Proximity Switches	8-15
8.4.5 Position Indicator Systems	8-15
8.4.5.1 General	8-15
8.4.5.2 Synchronous Systems	8-16
8.4.5.3 Potentiometer Systems	8-16
8.4.5.4 Resolver Systems	8-16
8.4.5.5 Absolute Encoder Systems	8-17
8.4.6 Control Console	8-17
8.4.6.1 General	8-17
8.4.6.2 Control Console Devices	8-17
8.4.6.3 Control Console Construction	8-18
8.4.7 Electrical Signal Multiplexing	8-19
8.4.8 Fiber Optics	8-19
8.4.9 Radio Data Links	8-19
8.5 ELECTRIC MOTORS	8-20
8.5.1 General Requirements	8-20
8.5.2 Application-Specific Criteria	8-20
8.5.2.1 General	8-20
8.5.2.2 Span Drive Motors	8-20
8.5.2.2.1 AC Squirrel Cage Motors	8-21
8.5.2.2.2 AC Wound Rotor Motors	8-21
8.5.2.2.3 DC Motors	8-22
8.5.2.3 Skew Control, or Synchronizing Motors	8-22
8.5.2.4 Ancillary Device Motors	8-23
8.6 ELECTRIC MOTOR CONTROLS	8-23
8.6.1 Speed Control of Span Drive Motors	8-23
8.6.1.1 General	8-23
8.6.1.2 Stepped Resistance Control	8-24
8.6.1.3 SCR (AC Thyristor) Speed Control	8-24
8.6.1.4 DC Speed Control	8-24
8.6.1.5 Variable Frequency Speed Control	8-24
8.6.1.6 Flux Vector Speed Control	8-25
8.6.2 Master Switches	8-25
8.6.3 Resistors	8-26
8.6.4 Tachometers, Encoders, and Overspeed Switches	8-26
8.6.4.1 Tachometers	8-26
8.6.4.2 Encoders	8-26
8.6.4.3 Overspeed Switches	8-27
8.6.5 Motor Control Centers	8-27

8.6.6	Contactors	8-28
8.6.7	Electronic Reduced Voltage Starters	8-28
8.6.8	Overload Relays.....	8-28
8.7	ELECTRICALLY OPERATED BRAKES	8-28
8.8	CONTROL CABINETS	8-29
8.9	ELECTRICAL CONDUCTORS	8-29
8.9.1	General Requirements.....	8-29
8.9.2	Splicing and Tapping Conductors.....	8-30
8.9.3	Labeling and Identifying Conductors	8-30
8.9.4	Exposed Conductors and Cables.....	8-30
8.9.5	Flexible Loop and Droop Cables	8-30
8.9.6	Aerial Cables	8-31
8.9.7	Submarine Cables	8-31
8.9.7.1	Conductors.....	8-31
8.9.7.2	Cable Construction	8-32
8.9.7.3	Inner and Outer Jacket Material.....	8-32
8.9.7.4	Cable Armor Wire	8-32
8.9.7.5	Testing	8-33
8.9.7.6	Support	8-33
8.10	CONDUITS, WIREWAYS, BOXES, AND CABINETS	8-33
8.10.1	Conduit, General Requirements.....	8-33
8.10.1.1	Rigid Steel Conduit.....	8-34
8.10.1.2	Rigid Aluminum Conduit	8-35
8.10.1.3	Electrical Metallic Tubing (EMT)	8-35
8.10.1.4	Rigid Nonmetallic Conduit.....	8-35
8.10.1.5	Flexible Conduit	8-35
8.10.2	Wireways	8-36
8.10.3	Junction Boxes and Terminal Cabinets.....	8-36
8.11	SERVICE LIGHTS AND RECEPTACLES.....	8-36
8.12	GROUNDING	8-37
8.12.1	General.....	8-37
8.12.2	Equipment Grounding.....	8-38
8.12.3	Structure Grounding	8-38
8.13	LIGHTNING PROTECTION.....	8-39
8.13.1	Standards and Codes.....	8-39
8.13.2	Requirements	8-39
8.13.2.1	General	8-39
8.13.2.2	Air Terminals.....	8-39
8.13.2.3	Conductors.....	8-39
8.13.2.4	Attachment Hardware.....	8-40
8.13.2.5	Ground Terminals.....	8-40

8.14 SPARE PARTS.....8-40

REFERENCES.....8-43